

GHboost References:

1. Arora RB, Basu N, Kapoor V, Jain AP. Anti-inflammatory studies on *Curcuma longa* (turmeric). *Ind J Med Res* 1971; 59:1289-95.
2. Banister EW, Rajendra W, Mutch BJ. Ammonia as an indicator of exercise stress implications of recent findings to sports medicine. *Sports Med* 1985; 2(1):34-46.
3. Beard HH, Ed. *Creatine and Creatinine Metabolism*. Brooklyn Chemical Publishers, Brooklyn, NY, 1943.
4. Bellone J, Bartolotta E, Cardinale G, Arvat E, Cherubini V, Aimaretti G, Maccario M, Mucci M, Camanni F, Ghigo E. Low dose orally administered arginine is able to enhance both basal and growth hormone-releasing hormone-induced growth hormone secretion in normal short children. *J Endocrinol Invest* 1993; 16(7):521-5.
5. Bercu BB, Diamond F. A determinant of stature: regulation of growth hormone secretion. In: Barness L, ed. *Advances in pediatrics*. Chicago: Year Book Medical Publishers, 1984: 331-80.
6. Bercu BB, Diamond F. Growth hormone neurosecretory dysfunction. *Clin Endocrinol Metab* 1986; 15:537-90.
7. Bercu BB. Disorders of growth hormone neurosecretory function. *Proceedings of the Seventh International Congress of Endocrinology*. In: Labrie F, Proulx L, eds. *Endocrinology*. New York: Excerpta Medica 1984:753-6.
8. Berelowitz M, Firestone SL, Frohman LA. Effect of growth hormone excess and deficiency on hypothalamic somatostatin content and release and on tissue somatostatin distribution. *Endocrinology* 1981; 109:714-719.
9. Berelowitz M, Szabo M, Frohman LA, et al. Somatostatin-C mediates growth hormone negative feedback by effects on both the hypothalamus and pituitary. *Science* 1981; 212:1279-1281.
10. Bertherat J, Bluet-Pajot MT, Epelbaum J. Neuroendocrine regulation of growth hormone. *European Journal of Endocrinology* 1995; 132(1):12-24.
11. Besset A, Bonardet A, Rondouin G, Descomps B, Passouant P. Increase in sleep related GH and Prl secretion after chronic arginine aspartate administration in man. *Acta Endocrinol (Copenh)*. 1982;99(1):18-23.
12. Boisclair YR, Wang J, Shi J, Hurst KR, Ooi GT. Role of the suppressor of cytokine signaling-3 in mediating the inhibitory effects of interleukin-1beta on the growth hormone-dependent transcription of the acid-labile subunit gene in liver cells. *J Biol Chem* 2000 Feb 11;275(6):3841-7.
13. Braverman ER, Pfeiffer CC. Arginine and citrulline in the healing nutrients within. *Facts, Findings and New Research on Amino Acids*. Keats Publishing. New Canaan, Connecticut, 1986, pg. 173.
14. Bucci LR, Hickson JF, Pivarnik JM, Wolinsky I, McMahon JC. Ornithine ingestion and growth hormone release in bodybuilders. *Nutr Res*. 1990;10:239-45.
15. Bucci LR. *Nutrients as Ergogenic Aids For Sports and Exercise*. CRC Press. Boca Raton. 1993.
16. Bucci LR, Hickson JF Jr, Wolinsky I, Pivarnik JM. Ornithine supplementation and insulin release in bodybuilders. *International Journal of Sport Nutrition* 1992; 2(3):287-91.
17. Bulus N, et al. Physiological importance of Glutamine. *Metabolism*. 1989;38 (8, Suppl. 1): 1-5.

18. Casanueva FF, Villanueva L, Cabranes JA, Cabezas Cerrato J, Fernandez Cruz A. Cholinergic mediation of growth hormone secretion elicited by arginine, clonidine, and physical exercise in man. *Journal of clinical endocrinology and metabolism* (Baltimore) 59(3), Sept 1984, 526-530.
19. Castell L, Poortmans J, Newsholme E. Does glutamine have a role in reducing infections in athletes? *Eur J of Appl Phys*. 1996;73(5):488-90.
20. Castell LM, Newsholme EA. The effects of oral supplementation on athletes after prolonged, exhaustive exercise. *Nutr*. 1997; 13: 738-42.
21. Cavagnini F, Invitti C, Pinto M, Maraschini C, Di Landro A, Dubini A, Marelli A. Effect of acute and repeated administration of gamma aminobutyric acid (GABA) on growth hormone and prolactin secretion in man. *Acta Endocrinol (Copenh)*. 1980;93(2):149-54.
22. Ceda GP, Ceresini G, Denti L, Magnani D, Marchini L, Valenti G, Hoffman AR. Effects of cytidine 5'-diphosphocholine administration on basal and growth hormone-releasing hormone-induced growth hormone secretion in elderly subjects. *Acta Endocrinol (Copenh)* 1991 May;124(5):516-20.
23. Ceda GP, Ceresini G, Denti L, Marzani G, Piovani E, Banchini A, Tarditi E, Valenti G. alpha-Glycerylphosphorylcholine administration increases the GH responses to GHRH of young and elderly subjects. *Horm Metab Res*. 1992 Mar;24(3):119-21.
24. Chevalley T, Rizzoli R, Manen D, Caverzasio J, Bonjour JP. Arginine increases insulin-like growth factor-I production and collagen synthesis in osteoblast-like cells. *Bone* 1998 Aug;23(2):103-9.
25. Ghigo E, Ceda GP, Valcavi R, Goffi S, Zini M, Mucci M, Valenti G, Cocchi D, Muller EE, Camanni F. Low doses of either intravenously or orally administered arginine are able to enhance growth hormone response to growth hormone releasing hormone in elderly subjects. *J Endocrinol Invest* 1994 Feb;17(2):113-7.
26. Coiro V, Volpi R, Maffei ML, Caiazza A, Caffarri G, Capretti L, Colla R, Chiodera P. Opioid modulation of the gamma-aminobutyric acid-controlled inhibition of exercise-stimulated growth hormone and prolactin secretion in normal men. *Eur J Endocrinol*. 1994;131(1):50-5.
27. Corpas E, Blackman MR, Roberson R, Scholfield D, Harman SM. Oral arginine-lysine does not increase growth hormone or insulin-like growth factor-I in old men. *J Gerontol*. 1993;48(4):M128-33.
28. Critical Care and Pulmonary Services, National and Kapodistrian University, Athens, Attiki, Greece; Critical Care and Pulmonary Services, National and Kapodistrian University, Athens, Attiki, Greece.
29. Cynober L, Coudray-Lucas C, de Bandt JP, Guehot J, Aussel C, Salvucci M, Giboudeau J. Action of ornithine alpha-ketoglutarate, ornithine hydrochloride, and calcium alpha-ketoglutarate on plasma amino acid and hormonal patterns in healthy subjects. *J Am Coll Nutr*. 1990;9(1):2-12.
30. Cynober L, Saizy R, Nguyen Dinh F, Lioret N, Giboudeau J. Effect of enterally administered ornithine alpha-ketoglutarate on plasma and urinary amino acid levels after burn injury. *J Trauma*. 1984;24(7):590-6.
31. Cynober L. Ornithine alpha-ketoglutarate in nutritional support. *Nutrition*. 1991;7(5):313-22.
32. Di Marzio L. Acetyl-L-carnitine Administration Increases Insulin-like Growth Factor 1 Levels in Asymptomatic HIV-1-Infected Subjects: Correlation with Its Suppressive

- Effect on Lymphocyte Apoptosis and Ceramide Generation.. *Clinical Immunology*, Volume 92, Issue 1, Pages 103-110.
33. Di Pasquale M. *Amino Acids and Proteins for the Athlete. The Anabolic Edge.* CRC Press. Boca Raton. 1997.
 34. Dorup I, Flyvbjerg A, Everts ME, Clausen T. Role of insulin-like growth factor-1 and growth hormone in growth inhibition induced by magnesium and zinc deficiencies. *British Journal of Nutrition* 1991; 66(3):505-21.
 35. Elam RP, Hardin DH, Sutton RA, Hagen L. Effects of arginine and ornithine on strength, lean body mass and urinary hydroxyproline in adult males. *J Sports Med Phys Fitness.* 1989;29(1):52-6.
 36. Elsair C. Effets de l'arginine, administrée par voie orale. *C R Soc Biol.* 1985;179:608.
 37. Fogelholm GM, Naveri HK, Kiilavuori KT, Harkonen MH. Low-dose amino acid supplementation: no effects on serum human growth hormone and insulin in male weightlifters. *International Journal of Sport Nutrition* 1993; 3(3):290-7.
 38. Ghigo E, Bellone J, Mazza E, Imperiale E, Procopio M, Valente F, Lala R, De Sanctis C, Camanni F. Arginine potentiates the GHRH- but not the pyridostigmine-induced GH secretion in normal short children. Further evidence for a somatostatin suppressing effect of arginine. *Clin Endocrinol* 1990; 32(6):763-767.
 39. Ghigo E, Miola C, Aimaretti G, Valente F, Procopio M, Arvat E, Yin-Zhang W, Camanni F. Arginine abolishes the inhibitory effect of glucose on the growth hormone response to growth hormone-releasing hormone in man. *Metabolism* 1992 Sep;41(9):1000-3.
 40. Hanew K, Tanaka A, Utsumi A. Plasma GH responses to GHRH, arginine, L-dopa, pyridostigmine, sequential administrations of GHRH and combined administration of PD and GHRH in Turner's syndrome. *J Endocrinol Invest.* 1998 Feb;21(2):72-7.
 41. Hanew K, Utsumi A. The role of endogenous GHRH in arginine-, insulin-, clonidine- and l-dopa-induced GH release in normal subjects. *Eur J Endocrinol* 2002 Feb;146(2):197-202.
 42. Hankard, Regis G., Morey W. Haymond, and Dominique Darmaun. Effect of glutamine on leucine metabolism in humans. Article publication pending *Am. J. Physiol. (Endocrinol. Metab.)*. Published in APSTRACTS on 28 June 1996.
 43. Haynes SP. Growth hormone. *Australian journal of science and medicine in sport* 1986; 18(1):3-10.
 44. Horvath SM, Knehr CA, Dill DB. The influence of glycine on muscular strength. *Am J Physiol.* 1941;134:469.
 45. Imura H, Nakao K, Shimatsu A, Ogawa Y, Sando T, Fujisawa I, Yamabe H. Lymphocytic infundibuloneurohypophysitis as a cause of central diabetes insipidus. *N Engl J Med* 1993 Sep 2;329(10):683-9.
 46. Isidori A, Lo Monaco A, Cappa M. A study of growth hormone release in man after oral administration of amino acids. *Curr Med Res Opinion.* 1981;7:475.
 47. Iwasaki K, Mano K, Ishihara M, Yugari Y, Matsuzawa T. Effects of ornithine or arginine administration on serum amino acid levels. *Biochem Int* 1987; 14(5):971-976.
 48. Jacobson B. Effect of amino acids on growth hormone release. *Physician Sportsmed* 1990; 18(1):63-70.
 49. Jeevanandam M, Petersen SR. Substrate fuel kinetics in enterally fed trauma patients supplemented with ornithine alpha ketoglutarate. *Clin Nutr.* 1999;18(4):209-17.

50. Job JC, Sizonenko PC, Balage M. Interpretation statistique des epreuves de stimulation de la secretion d'hormone de croissance par l'insuline et l'argine. Arch France Ped (Paris). 1971;28:505.
51. Kasai K, Kobayashi M, Shimoda S.) Stimulatory effect of glycine on human growth hormone secretion. Metabolism 1978; 27:201-204.
52. Kasai K, Kobayashi M, Shimoda SI. Stimulatory effect of glycine on human growth hormone secretion. Metabolism. 1978;27(2):201-8.
53. Kasai K, Suzuki H, Nakamura T, Shiina H, Shimoda SI. Glycine stimulated growth hormone release in man. Acta Endocrinologica 1980; 93(3):283-6.
54. Kelijman M, Frohman LA. The role of the cholinergic pathway in growth hormone feedback. J Clin Endocrinol Metab 1991; 72(5):1081-87.
55. King EQ, McCalch LB, Kennedy HF, Klumpp TG. Failure of aminoacetic acid to increase the work capacity of human subjects. JAMA. 1942;118:594.
56. Kiso Y, Suzuki Y, Watanbe N, et al. Antihepatotoxic principles of Curcuma longa rhizomes. Planta Med 1983;49:185-7.
57. Knopf RF, Conn JW, Fajans SS, et al: Plasma growth hormone response to intravenous administration of amino acids. J Clin Endocrinol Metab 1965; 25:1140.
58. Koppeschaar HP, ten Horn CD, Thijssen JH, Page MD, Dieguez C, Scanlon MF. Differential effects of arginine on growth hormone releasing hormone and insulin induced growth hormone secretion. Clinical Endocrinology 1992; 36(5):487-90.
59. Krassowski J, Rousselle J, Maeder E, Felber JP. The effect of ornithine alpha-ketoglutarate on growth hormone (GH) and prolactin (PRL) release in normal subjects. Endokrynol Pol. 1986;37(1):11-5.
60. Lambert MI, Hefer JA, Millar RP, Macfarlane PW. Failure of commercial oral amino acid supplements to increase serum growth hormone concentrations in male body-builders. International Journal of Sport Nutrition 1993; 3(3):298-305.
61. Literat A, Su F, Norwicki M, Durand M, Ramanathan R, Jones CA, Mino P, Kwong KY. Regulation of pro-inflammatory cytokine expression by curcumin in hyaline membrane disease (HMD). Life Sci 2001 Dec 7;70(3):253-67.
62. Lopez-Calderon A, Soto L, Martin AI. Chronic inflammation inhibits GH secretion and alters the serum insulin-like growth factor system in rats. Life Sci 1999;65(20):2049-60.
63. Marcell TJ, Taaffe DR, Hawkins SA, Tarpenning KM, Pyka G, et al. Oral arginine does not stimulate basal or augment exercise-induced GH secretion in either young or old adults. Journal of Gerontology. 1999;54A(8):M395-399.
64. Martin J. Neuroendocrine regulation of growth hormone secretion. Pediat Adolesc Endocr 1983; 12:1-26.
65. Masuda A, Shibasaki T, Hotta M, Yamauchi N, Ling N, Demura H, Shizume K. Insulin-induced hypoglycemia, L-dopa and arginine stimulate GH secretion through different mechanisms in man. Regul Pept 1990; 31(1):53-64.
66. Mathieni G. Growth hormone secretion by arginine stimulus: the effect of both low doses and oral arginine. Boll Soc It Sper Biol. 1980;56:2254.
67. Matsuoka T, Kawanaka M, Nagai K. Effect of cytidine diphosphate choline on growth hormone and prolactin secretion in man. Endocrinol Jpn 1978 Feb;25(1):55-7.
68. Matzen LE, Andersen BB, Jensen BG, Gjessing HJ, Sindrup SH, Kvetny J. Different short-term effect of protein and carbohydrate intake on TSH, growth hormone (GH), insulin, C-peptide, and glucagon in humans. Scandinavian Journal of Clinical & Laboratory Investigation 1990; 50(7):801-5.

69. Mazza E, Ghigo E, Bellone J, et al. Effects of alpha and beta adrenergic agonists and antagonists on growth hormone secretion in man. *SO Endocrinol Exp* 1990; 24(1-2):211-9.
70. Mendelson WB, Lantigua RA, Wyatt RJ, Gillin JC, Jacobs LS. Piperidine enhances sleep-related and insulin-induced growth hormone secretion: further evidence for a cholinergic secretory mechanism. *J Clin Endocrinol Metab* 1981; 52(3):409-15.
71. Merimee TJ, Lillicrap DA, Rabinowitz D. Effect of arginine on serum-levels of growth-hormone. *Lancet* 1965; 2:668.
72. Merimee TJ, Rabinowitz D, Fineberg SE. Arginine-initiated release of human growth hormone. *New Engl J Med* 1969; 280(26):1434-1438.
73. Merimee TJ, Rabinowitz D, Riggs L, et al. Plasma growth hormone after arginine infusion: clinical experiences. *N Engl J Med* 1967; 276:434.
74. Mitsuhashi S, Yamasaki R, Miyazaki S, Saito H, Saito S. [Effect of oral administration of L-dopa on the plasma levels of growth hormone-releasing hormone (GHRH) in normal subjects and patients with various endocrine and metabolic diseases] *Nippon Naibunpi Gakkai Zasshi* 1987 Aug 20;63(8):934-46.
75. Moinard C, Caldefie F, Walrand S, Felgines C, Vasson MP, Cynober L. Involvement of glutamine, arginine, and polyamines in the action of ornithine alpha-ketoglutarate on macrophage functions in stressed rats. *J Leukoc Biol.* 2000;67(6):834-40.
76. Muller EE, Cocchi D, Ghigo E, Arvat E, Locatelli V, Camanni F. Growth hormone response to GHRH during lifespan. *Journal of Pediatric Endocrinology* 1993; 6(1):5-13.
77. Nassara, Ferdinando., et al: Potentiation of cholinergic tone by pyridostigmine bromide re-instates and potentiates the growth hormone responsiveness to intermittent administration of growth hormone-releasing factor in man. *Acta Endocrinologica (Copenh)*, 113:12-16, 1986
78. Page MD, Dieguez C, Valcavi R, Edwards C, Hall R, Scanlon MF. Growth hormone (GH) responses to arginine and L-dopa alone and after GHRH pretreatment. *Clin. Endocrinol.* 1988; 28:551-558,
79. Parr TB. A new technique to elevate night time growth hormone release and a potential growth hormone feedback control loop. *Med Hypotheses* 2001 May;56(5):610-3.
80. Pearson D and Shaw S. *Life Extension: A Practical Scientific Approach.* Warner Books. New York. 1982, pg. 289-290.
81. Penny R, Blizzard RM, Davis T. Sequential arginine and insulin tolerance test on the same day. *J Clin Endocrinol.* 1969;29:1499.
82. Pinilla L, Gonzalez LC, Tena-Sempere M, Aguilar E. Interactions between GABAergic and aminoacidergic pathways in the control of gonadotropin and GH secretion in pre-pubertal female rats. *J Endocrinol Invest* 2002 Feb;25(2):96-100.
83. Rigamonti AE, Muller EE. Gamma-hydroxybutyric acid and growth hormone secretion studies in rats and dogs. *Alcohol.* 2000;20(3):293-304.
84. Rodriguez DOL, Valeron MC, Carrillo DA, et al. [Evaluation of growth hormone stimulation tests using clonidine, glucagon, propranolol, hypoglycemia, arginine and L-dopa in 267 children of short stature]. *Rev Clin Esp* 1984; 173(2):113-116.
85. Rosenbaum M, Bosco D. *Super Supplements, New American Library, New York, NY.* 1989; 4: 44.

86. Salvadorini F, Saba P, Forli C, Tusini G, Galeone F. Effect of cytidine diphosphate choline on growth hormone secretion in patients with brain or pituitary lesions. *Endocrinol Jpn* 1980 Jun;27(3):265-71.
87. Sreejayan N, Rao MNA. Free radical scavenging activity of curcuminoids. *Arzneim Forsch Drug Res* 1996;46:169-71.
88. Srivastava R, Dikshit M, Srimal RC, Dhawan BN. Anti-thrombotic effect of curcumin. *Thromb Res* 1985;40:413-17.
89. Srivastava R, Dikshit M, Srimal RC, Dhawan BN. Anti-thrombotic effect of curcumin. *Thromb Res* 1985;40:413-17.
90. Stevens BR, Godfrey MD, Kaminski TW, Braith RW. High-intensity dynamic human muscle performance enhanced by a metabolic intervention. *Med Sci Sports Exerc*. 2000;32(12):2102-8.
91. Suminski RR, Robertson RJ, Goss FL, Arslanian S, Kang J, DaSilva S, Utter AC, Metz KF. Acute effect of amino acid ingestion and resistance exercise on plasma growth hormone concentration in young men. *Int J Sport Nutr*. 1997;7(1):48-60.
92. Szabo M, Staib NE, Collins BJ, Cuttler L. Biphasic action of forskolin on growth hormone and prolactin secretion by rat anterior pituitary cells in vitro. *Endocrinology* 1990 Oct;127(4):1811-7.
93. Tapanainen P, Knip M, Lautala P, Leppaluoto J. Variable plasma growth hormone (GH)-releasing hormone and GH responses to clonidine, L-dopa, and insulin in normal men. *J Clin Endocrinol Metab* 1988 Oct;67(4):845-9.
94. Treatment update 2000 Jan;11(10):7. Immune boosters. Curcumin and the immune system.
95. Valenti G. alpha-Glycerolphosphorylcholine administration increases the GH responses to GHRH of young and elderly subjects. *Horm Metab Res*. 1992 Mar;24(3):119-21.
96. Vance, Mary Lee, et al: Role of dopamine in the regulation of growth hormone secretion: dopamine and bromocriptine augment growth hormone (GH)-releasing hormone-stimulated GH secretion in normal man. *J. Clin. Endocrinol. Metab* 64(6):1136, 1987
97. Vassilakopoulos T, Katsaounou P, Karantza MH, Kollintza A, Zakynthinos S, Roussos C. Strenuous resistive breathing induces plasma cytokines: role of antioxidants and monocytes. *Am J Respir Crit Care Med* 2002 Oct 3 [epub].
98. Vaubourdolle M, Cynober L, Lioret N, Coudray-Lucas C, Aussel C, Saizy R, Giboudeau J. Influence of enterally administered ornithine alpha-ketoglutarate on hormonal patterns in burn patients. *Burns Incl Therm Inj*. 1987;13(5):349-56.
99. Vermeulen A. [Neuroendocrinological aspects of aging]. *Verhandelingen - Koninklijke Academie voor Geneeskunde van België* 1994; 56(4):267-80.
100. Vescovi PP, Volpi R, Coiro V. Alcoholism abolishes the gamma-aminobutyric acid (GABA)ergic control of GH secretion in humans. *Alcohol*. 1998;16(4):325-8.
101. Walsh NP, Blannin AK, Robson PJ, Gleeson M. Glutamine, Exercise and Immune Function. Links and Possible Mechanisms. *Sports Med*. 1998; 26: 3, 177-99.
102. Welbourne TC. Increased Plasma Bicarbonate and Growth Hormone After Oral Glutamine Load. *Am J Clin Nutr*. 1995;61(5):1058-61.