

# MD+ EFA+ Version III

## Essential Fatty Acids - Plus

### References

Below are some of the references in scientific literature used by Dr. Di Pasquale while formulating EFA+. For further details about Dr. Di Pasquale, EFA+ and other MD+ products please visit our sites at [www.metabolicdiet.com](http://www.metabolicdiet.com) , [www.mdefaplus.com](http://www.mdefaplus.com) and [www.mdplusstore.com](http://www.mdplusstore.com)

---

- Adam O, Beringer C, Kless T, et al. Anti-inflammatory effects of a low arachidonic acid diet and fish oil in patients with rheumatoid arthritis. *Rheumatol Int* 2003; 23: 27–36.
- Awad AB, Zepp EA. Alteration of rat adipose tissue lipolytic response to norepinephrine by dietary fatty acid manipulation. *Biochem Biophys Res Comm* 1979; 86:138-144.
- Barham JB, Edens MB, Fonteh AN, Johnson MM, Easter L, Chilton FH. Addition of eicosapentaenoic acid to gamma-linolenic acid-supplemented diets prevents serum arachidonic acid accumulation in humans. *J Nutr* 2000; 130(8):1925-31.
- Barham JB, Edens MB, Fonteh AN, Johnson MM, Easter L, Chilton FH. Addition of eicosapentaenoic acid to gamma-linolenic acid-supplemented diets prevents serum arachidonic acid accumulation in humans. *J Nutr*. 2000; 130(8):1925-31.
- Belluzzi A, Boschi S, Brignola C, Munarini A, Cariani G, Miglio F. Polyunsaturated fatty acids and inflammatory bowel disease. *Am J Clin Nutr* 2000; 71S: 339S–42S.
- Belury MA. Dietary conjugated linoleic acid in health: physiological effects and mechanisms of action. *Annu Rev Nutr* 2002; 22:505–531.
- Belzung F, Raclot T, Groscolas R. Fish oil n-3 fatty acids selectively limit the hypertrophy of abdominal fat depots in growing rats fed high-fat diets. *Am J Physiol* 1993; 264(6 Pt 2): R1111-R1118.
- Bourre JM. Dietary Omega-3 Fatty Acids and Psychiatry: Mood, Behaviour, Stress, Depression, Dementia and Aging. *J Nutr Health Aging*. 2005;9(1):31-38.
- Canetti M, Moreira M, Mas R, Illnait J, Fernandez L, Fernandez J, Diaz E, Castano G. A two-year study on the efficacy and tolerability of policosanol in patients with type II hyperlipoproteinaemia. *Int J Clin Pharmacol Res* 1995, 15 (4):159-65.
- Castilho JC, Perry JC, Andreatini R, Vital MA. Phosphatidylserine: an antidepressive or a cognitive enhancer? *Prog Neuropsychopharmacol Biol Psychiatry*. 2004 Jul;28(4):731-8.

- Choi Y, Kim YC, Han YB, et al. The trans-10,cis-12 isomer of conjugated linoleic acid downregulates stearoyl-CoA desaturase 1 gene expression in 3T3-L1 adipocytes, *J Nutr* 2000; 130 (8):1920-1924.
- Cook HW, Thomas SE, XU Z. Essential fatty acids and serine as plasmalogen precursors in relation to competing metabolic pathways. *Biochem Cell Biol* 1991; 69(7):475-84.
- Davidson MH. Implications for the present and direction for the future. *Am J Card* 1993; 71(6):32B-36B.
- DeLany JP, Blohm F, Truett AA, Scimeca JA, West D.B. Conjugated linoleic acid rapidly reduces body fat content in mice without affecting energy intake, *Am J. Physiol* 1999; 276:R1172–R1179.
- DeLuca P, Rossetti RG, Alavian C, Karim P, Zurier RB. Effects of gammalinolenic acid on interleukin-1 beta and tumor necrosis factor-alpha secretion by stimulated human peripheral blood monocytes: studies in vitro and in vivo. *J Investig Med.* 1999; 47(5):246-50.
- Emsley R et al. "Randomized, placebo controlled study of ethyl-eicosapentaenoic acid as supplemental treatment in schizophrenia." *Am J Pyschiatry*, 159, 9:1596-8, 2002.
- Endres S, Ghorbani R, Kelly VE, et al. The effect of dietary supplementation with n-3 fatty acids on the synthesis of interleukin-1 and tumor necrosis factor by mononuclear cells. *N Engl J Med* 1989; 320: 265–70.
- Esperson GT, Grunnet N, Lervang HH, et al. Decreased interleukin-1 beta levels in plasma from rheumatoid arthritis patients after dietary supplementation with n-3 polyunsaturated fatty acids. *Clin Rheumatol* 1992; 11:393-395.
- Fan YY, Chapkin RS. Importance of dietary gamma-linolenic acid in human health and nutrition. *Journal of Nutrition* 1998; 128: 141114.
- Foulon T, Richard MJ, Payen N, Bourrain JL, Beani JC, Laporte F, Hadjian A. Effects of fish oil fatty acids on plasma lipids and lipoproteins and oxidant-antioxidant imbalance in healthy subjects. *Scand J Clin Lab Invest.* 1999; 59(4):239-48.
- Furse RK, Rossetti RG, Seiler CM, Zurier RB. Oral administration of gammalinolenic acid, an unsaturated fatty acid with anti-inflammatory properties, modulates interleukin-1beta production by human monocytes. *J Clin Immunol.* 2002; 22(2):83-91.
- Garg ML, Wierzbicki A, Keelan M, Thomson AB, Clandinin MT. Fish oil prevents change in arachidonic acid and cholesterol content in rat caused by dietary cholesterol. *Lipids* 1989; 24(4):266-70.
- Gaullier JM, Halse J, Høye K, et al. Conjugated linoleic acid supplementation for 1 y reduces body fat mass in healthy overweight humans. *Am J Clin Nutr* 2004; 79:1118–1125.
- Gillis RC, Daley BJ, Enderson BL, Karlstad MD. Eicosapentaenoic acid and gamma-linolenic acid induce apoptosis in HL-60 cells. *J Surg Res.* 2002; 107(1):145-53.
- Gueck T, Seidel A, Baumann D, Meister A, Fuhrmann H. Alterations of mast cell mediator production and release by gamma-linolenic and docosahexaenoic acid. *Vet Dermatol.* 2004; 15(5):309-14.

- Hallahan B, Garland MR. Essential fatty acids and mental health. *Br J Psychiatry*. 2005 Apr;186:275-7.
- Hardman WE. (n-3) fatty acids and cancer therapy. *J Nutr*. 2004; 134(12 Suppl):3427S-3430S.
- Henzen C. Fish oil-healing principle in the Eskimo Diet? *Schweizerische Rundschau fur Medizin Praxis* 1995; 84(1):11-15.
- Hibbeln JR, Nieminen LR, Lands WE. Increasing homicide rates and linoleic acid consumption among five Western countries, 1961-2000. *Lipids*. 2004 Dec;39(12):1207-13.
- Hjerkinn EM, Seljeflot I, Ellingsen I, Berstad P, Hjermann I, Sandvik L, Arnesen H. Influence of long-term intervention with dietary counseling, long-chain n-3 fatty acid supplements, or both on circulating markers of endothelial activation in men with long-standing hyperlipidemia. *Am J Clin Nutr*. 2005; 81(3):583-9.
- Hodgson JM, Wahlqvist ML, Boxall JA, Lalazs ND. Can linoleic acid contribute to coronary artery disease? *Am J Clin Nutr* 1993; 58(2):228-34.
- Ismail HM. The role of omega-3 fatty acids in cardiac protection: an overview. *Front Biosci*. 2005; 10:1079-88.
- J.K. Blusztajn JK, Richardson UI, Liscovitch M, Mauron C, Wurtman RJ. Phospholipids in cellular survival and growth. In: I. Hanin and G.B. Ansel, Editors, *Lecithin: technological, biological, and therapeutic aspects*, Plenum Press, New York 1987.
- Johnson MM, Swan DD, Surette ME et al. Dietary supplementation with gamma-linolenic acid alters fatty acid content and eicosanoid production in healthy humans. *Journal of Nutrition* 1997; 127: 143544.
- Kremer JM, Lawrence DA, Petrillo GF, et al. Effects of high-dose fish oil on rheumatoid arthritis after stopping nonsteroidal antiinflammatory drugs. Clinical and immune correlates. *Arthritis Rheumatism* 1995; 38:1107-1114.
- Kruger MC. Eicosapentaenoic acid and docosahexaenoic acid supplementation increases calcium balance. *Nutrition Research* 1995; 15:211-219.
- Liu S, Baracos VE, Quinney HA, Clandinin MT. Dietary omega-3 and polyunsaturated fatty acids modify fatty acyl composition and insulin binding in skeletal-muscle sarcolemma. *Biochemical Journal* 1994; 299( Pt 3):831-837.
- Macleane CH, Issa AM, Newberry SJ, Mojica WA, Morton SC, Garland RH, Hilton LG, Traina SB, Shekelle PG. Effects of omega-3 fatty acids on cognitive function with aging, dementia, and neurological diseases. *Evid Rep Technol Assess (Summ)*. 2005; (114):1-3.
- McCarty M.F., "Policosanols safely down-regulates HMG-CoA reductase – potential as a component of the Esselstyn regimen", *Med. Hypotheses*, Volume: 59, (2002), pp. 268-279.
- McDaniel MA, Maier SF, Einstein GO. Brain-specific" nutrients: a memory cure? *Nutrition*. 2003 Nov-Dec;19(11-12):957-75.

- Menendez R, Fernandez SI, Del Rio A, Gonzalez RM, Fraga V, Amor AM, Mas RM. Policosanol inhibits cholesterol biosynthesis and enhances low density lipoprotein processing in cultured human fibroblasts. *Biol Res* 1994, 27 (3-4): 199-203.
- Monteleone P, Beinat L, Tanzillo C, et al. Effects of phosphatidylserine on the neuroendocrine response to physical stress in humans. *Neuroendocrinology* 1990;52:243-248.
- Mori TA, Beilin LJ. Omega-3 fatty acids and inflammation. *Curr Atheroscler Rep.* 2004; 6(6):461-7.
- Mori TA, Puddey IB, Burke V, Croft KD, Dunstan DW, Rivera JH, Beilin LJ. Effect of omega 3 fatty acids on oxidative stress in humans: GC-MS measurement of urinary F2-isoprostane excretion. *Redox Rep* 2000;5(1):45-6.
- Nettleton JA, Katz R. n-3 long-chain polyunsaturated fatty acids in type 2 diabetes: a review. *J Am Diet Assoc.* 2005; 105(3):428-40.
- Ni JS, Wu JX, Xiao RQ. [The preventive and curative action of fish oil compound on early atherosclerotic lesions in the aortic of diabetic rats]. *Chung-Hua Ping Li Hsueh Tsa Chih – Chinese Journal of Pathology* 1994; 23(1):31-3.
- Palacios A, Piergiacomi V, Catala A. Antioxidant effect of conjugated linoleic acid and vitamin A during non enzymatic lipid peroxidation of rat liver microsomes and mitochondria. *Mol Cell Biochem.* 2003; 250(1-2):107-13.
- Pariza MW, Park Y, Cook ME. The biologically active isomers of conjugated linoleic acid, *Prog Lipid Res* 2001; 40(4):283-298.
- Park Y, Albright KJ, Storkson JM, et al. Changes in body composition in mice during feeding and withdrawal of conjugated linoleic acid, *Lipids* 1999; 34(3):243-248.
- Parrish CC, Pathy DA, Angel A. Dietary fish oils limit adipose tissue hypertrophy in rats. *Metabolism: Clin Exp* 1990; 39(3):217-19.
- Parrish CC, Pathy DA, Parkes JG, Angel A. Dietary fish oils modify adipocyte structure and function. *J Cell Phys* 1991; 148(3):493-502.
- Peet M et al. "A dose ranging study of the effects of ethyl-eicosapentaenoate in patients with ongoing depression despite apparently adequate treatment with standard drugs." *Arch Gen Psychiatry*, 59:913-9, 2002.
- Phillipson BE, Rothrock DW, Connor WE, Harris WS, Illingworth DR. Reduction of plasma lipids, lipoproteins, and apoproteins by dietary fish oils in patients with hypertriglyceridemia. *N Engl J Med* 1985; 312: 1210–6.
- Rakel DP, Rindfleisch A. Inflammation: nutritional, botanical, and mind-body influences. *South Med J.* 2005 Mar;98(3):303-10.
- Ringseis R, Eder K. Insufficient dietary vitamin e increases the concentration of 7beta-hydroxycholesterol in tissues of rats fed salmon oil. *J Nutr* 2002; 132(12):3732-5.
- Roberts WG, Gordon MH, Walker AF. Effects of enhanced consumption of fruit and vegetables on plasma antioxidant status and oxidative resistance of LDL in smokers supplemented with fish oil. *Eur J Clin Nutr.* 2003; 57(10):1303-10.

- Schurch PM, Reinke A, Hollmann W. Carbohydrate-reduced diet and metabolism: about the influence of a 4-week isocaloric, fat-rich, carbohydrate-reduced diet on body weight and metabolism. *Medizinische Klinik-Muich* 1979; 74(36):1279-85.
- Shahidi F, Miraliakbari H. Omega-3 (n-3) fatty acids in health and disease: Part 1-- cardiovascular disease and cancer. *J Med Food*. 2004 Winter;7(4):387-401.
- Siddiqui RA, Shaikh SR, Sech LA, Yount HR, Stillwell W, Zaloga GP. Omega 3-fatty acids: health benefits and cellular mechanisms of action. *Mini Rev Med Chem*. 2004; 4(8):859-71.
- Simopoulos AP. Essential fatty acids in health and chronic disease. *Am J Clin Nutr* 1999; 70(3):560S-569S.
- Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. *J Am Coll Nutr*. 2002; 21(6):495-505.
- Song C, Li X, Leonard BE, Horrobin DF. Effects of dietary n-3 or n-6 fatty acids on interleukin-1beta-induced anxiety, stress, and inflammatory responses in rats. *J Lipid Res*. 2003; 44(10):1984-91.
- Song C, Li X, Leonard BE, Horrobin DF. Effects of dietary n-3 or n-6 fatty acids on interleukin-1beta-induced anxiety, stress, and inflammatory responses in rats. *J Lipid Res*. 2003; 44(10):1984-91.
- Su KP, Huang SY, Chiu CC, Shen WW. Omega-3 fatty acids in major depressive disorder. A preliminary double-blind placebo-controlled trial. *Eur Neuropsychopharmacol* 2003; 13:267-71.
- Tate G, Mandell BF, Laposata M, Ohliger D, Baker DG, Schumacher HR, Zurier RB. Suppression of acute and chronic inflammation by dietary gamma linolenic acid. *J Rheumatol*. 1989; 16(6):729-34.
- Tidow-Kebritchi S, Mobarhan S. Effects of diets containing fish oil and vitamin E on rheumatoid arthritis. *Nutr Rev* 2001; 59(10):335-8.
- Torres O, Agramonte AJ, Illnait J, Mas Ferreiro R, Fernandez L, Fernandez JC. Treatment of hypercholesterolemia in NIDDM with policosanol. *Diabetes Care* 1995 Mar, 18 (3): 393-7.
- Treble TM, Wootton SA, Miles EA, et al. Prostaglandin E2 production and T cell function after fish-oil supplementation: response to antioxidant cosupplementation. *Am J Clin Nutr* 2003; 78: 376-82.
- Turini ME, Crozier GL, Donnet-Hughes A, Richelle MA. Short-term fish oil supplementation improved innate immunity, but increased ex vivo oxidation of LDL in man--a pilot study. *Eur J Nutr*. 2001 Apr;40(2):56-65.
- Watkins BA, Li Y, Lippman HE, Seifert MF. Omega-3 polyunsaturated fatty acids and skeletal health. *Exp Biol Med (Maywood)* 2001; 226(6):485-97.
- Whalley LJ, Fox HC, Wahle KW, Starr JM, Deary IJ. Cognitive aging, childhood intelligence, and the use of food supplements: possible involvement of n-3 fatty acids. *Am J Clin Nutr*. 2004 Dec;80(6):1650-7.