

# MD+ InControl

Formulated by Mauro Di Pasquale, M.D. [www.MetabolicDiet.com](http://www.MetabolicDiet.com) [www.mdincontrol.com](http://www.mdincontrol.com)

## References

Below are some of the references in scientific literature used by Dr. Di Pasquale while formulating InControl. For further details about Dr. Di Pasquale, InControl and other MD+ products please visit our sites at [www.metabolicdiet.com](http://www.metabolicdiet.com) , [www.mdincontrol.com](http://www.mdincontrol.com) and [www.mdplusstore.com](http://www.mdplusstore.com)

---

A scientific review: the role of chromium in insulin resistance. *Diabetes Educ* 2004; Suppl:2-14.

Abidov M, Crendal F, Grachev S, Seifulla R, Ziegenfuss T. Effect of extracts from *Rhodiola rosea* and *Rhodiola crenulata* (Crassulaceae) roots on ATP content in mitochondria of skeletal muscles. *Bull Exp Biol Med*. 2003; 136(6):585-7.

Abidov M, Grachev S, Seifulla RD, Ziegenfuss TN. Extract of *Rhodiola rosea* radix reduces the level of C-reactive protein and creatinine kinase in the blood. *Bull Exp Biol Med*. 2004; 138(1):63-4.

Aguilaniu H, Gustafsson L, Rigoulet M, Nystrom T. Asymmetric inheritance of oxidatively damaged proteins during cytokinesis. *Science*. 2003 Mar 14;299(5613):1751-3. Epub 2003 Feb 27.

Allain H, Raoul P, Lieury A, et al. Effects of two doses of ginkgo biloba extract (EGb 761) on the dual-coding test in elderly subjects. *Clin Ther* 1993;15(3):549-58.

Alpert JE, Fava M. Nutrition and depression: the role of folate. *Nutr Rev*. 1997; 55:145–149.

Alzheimers Association, General Statistics and Demographics, [www.alz.org/hc/overview/stats.htm](http://www.alz.org/hc/overview/stats.htm).

Amaducci L and the SMID Group. Phosphatidylserine in the treatment of Alzheimers disease: results of a multicenter study. *Psychopharmacol. Bulletin*, 1988, 24: 130-4.

American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*, 4th ed. Washington, DC: American Psychiatric Association, 1994, 684.

- Asano K, Takahashi T, Miyashita M, et al. Effect of Eleutherococcus senticosus extract on human working capacity. *Planta Medica* 1986;37:175–77.
- Ashani Y, Peggins JO III, Doctor BP. Mechanism of inhibition of cholinesterases by huperzine A. *Biochem Biophys Res Commun.* 1992; 184:719–726.
- Avena R, Arora S, Carmody BJ, Cosby K, Sidawy AN. Thiamine (vitamin B1) protects against glucose- and insulin- mediated proliferation of human infragenicular arterial smooth muscle cells. *Ann Vasc Surg.* 2000 Jan;14(1):37-43.
- Balestreri R, Fontana L, Astengo F. A double-blind placebo controlled evaluation of the safety and efficacy of vinpocetine in the treatment of patients with chronic vascular senile cerebral dysfunction. *J Am Geriatr Soc* 1987;35:425-30.
- Barham JB, Edens MB, Fonteh AN, Johnson MM, Easter L, Chilton FH. Addition of eicosapentaenoic acid to gamma-linolenic acid-supplemented diets prevents serum arachidonic acid accumulation in humans. *J Nutr.* 2000; 130(8):1925-31.
- Barthelemy C, Garreau B, Leddet I, et al. Behavioral and biological effects of oral magnesium, vitamin B6 and combined magnesium–vitamin B6 administration in autistic children. *Magnes Bull.* 1981; 2:150–153.
- Bell, K.M., Potkin, S.G., Carreon, D., and L. Plon. S-adenosylmethionine blood levels in major depression: changes with drug treatment. *Acta. Neurol.Scand. Suppl*;154:15-8, 1994.
- Berezcki D, Fekete I. A systematic review of vinpocetine therapy in acute ischaemic stroke. *Eur J Clin Pharmacol.* 1999; 55:349–352.
- Berlett BS, Stadtman ER. Protein oxidation in aging, disease and oxidative stress. *J Biol Chem.* 1997 Aug 15;272(33):20313-6.
- Bidri M, Choay P. Taurine: a particular aminoacid with multiple functions. *Ann Pharm Fr.* 2003 Nov;61(6):385-91.
- Bierkamper GG, Goldberg AM. Release of acetylcholine from the vascular perfused rat phrenic nerve hemidiaphragm. *Brain Res* 1980; 202: 234-37
- Blokland A, Honig W, Brouns F, et al. Cognition-enhancing properties of subchronic phosphatidylserine (PS) treatment in middle-aged rats: comparison of bovine cortex PS with egg PS and soybean PS. *Nutrition* 1999;15:778-83.
- Blusztajn JK, Wurtman RJ. Choline and cholinergic neurons. *Science* 1983; 221: 614-20
- Bodis-Wollner, E. Chung, M.F. Ghilardi, et al, *J Neural Transm Park Dis Diment Sci* 1991; 3: 63-72.

- Boldyrev A, Johnson P. Carnosine and related compounds: antioxidant dipeptides. In: P. Johnson and A. Boldyrev, Editors, *Oxidative Stress at Molecular, Cellular and Organ Levels*, Res. Signpost 2002; 101-114.
- Boldyrev AA, Gallant SC, Sukhich GT. Carnosine, the protective, anti-aging peptide. *Biosci Rep*. 1999 Dec; 19(6):581-7.
- Bolla KI, Lindgren KN, Bonaccorsy C, Bleecker ML. Memory complaints in older adults: Fact or fiction? *Arch Neurol* 1991;48:61-4.
- Bonavita E. Study of the efficacy and tolerability of L-acetylcarnitine therapy in the senile brain. *Int J Clin Pharmacol Ther Toxicol* 1986;24(9):511-6.
- Bonocz P, Gulyas B, Adam-Vizi V, Nemes A, Karpati E, Kiss B, Kapas M, Szantay C, Koncz I, Zelles T, Vas A. Role of sodium channel inhibition in neuroprotection: effect of vinpocetine. *Brain Res Bull*. 2000 Oct;53(3):245-54.
- Botez MI. Folate deficiency and neurological disorders in adults. *Med Hypotheses*. 1976; 2:135–140.
- Bottiglieri, T., Hyland, K., and E.H. Reynolds. The clinical potential of S-adenosylmethionine in brain mapping, cerebrovascular hemodynamics, and immune factors. *Ann. N.Y. Acad. Sci.* 17;777:399-403, 1994.
- Brambilla F, Maggioni M, Panerai AE, et al. Beta-endorphin concentration in peripheral blood mononuclear cells of elderly depressed patients—effects of phosphatidylserine therapy. *Neuropsychobiology*. 1996; 34:18–21.
- Brattstrom LE, Hultberg BL, Hardebo JE. Folic acid responsive postmenopausal homocysteinemia. *Metabolism*. 1985; 34:1073–1077.
- Brautigam MRH, Blommaert FA, Verleye G, et al. Treatment of age-related memory complaints with Ginkgo biloba extract: a randomized double-blind placebo-controlled study. *Phytomedicine* 1998;5:425-34.
- Brayne C, Gill C, Paykel ES, et al. Cognitive decline in an elderly population—a two wave study of change. *Psychological Study of Medicine* 1995;25:673-83.
- Brownson C, Hipkiss AR. Carnosine reacts with a glycated protein. *Free Radic Biol Med*. 2000 May 15;28(10):1564-70.
- Buchman AL, Sohel M, Brown M, Jenden DJ, Ahn C, Roch M, Brawley TL. Verbal and visual memory improve after choline supplementation in long-term total parenteral nutrition: A pilot study. *Journal of Parenteral & Enteral Nutrition* Vol 25(1) (pp 30-35), 2001.
- Calvaresi E, Bryan J. B vitamins, cognition, and aging: A review. *Journals of Gerontology Series B-Psychological Sciences & Social Sciences* Vol 56(6) (pp P327-P339), 2001.
- Cameron NE, Gibson TM, Nangle MR, Cotter MA. Inhibitors of advanced glycation end product formation and neurovascular dysfunction in experimental diabetes. *Ann N Y Acad Sci*. 2005 Jun;1043:784-92.

- Campos AR, Barros AI, Albuquerque FA, M Leal LK, Rao VS. Acute effects of guarana (*Paullinia cupana* Mart.) on mouse behaviour in forced swimming and open field tests. *Phytother Res.* 2005 Aug 16;19(5):441-443 [Epub ahead of print]
- Carlini EA. Plants and the central nervous system. *Pharmacol Biochem Behav.* 2003 Jun;75(3):501-12. Review.
- Caro AA, Cederbaum AI. Antioxidant properties of S-adenosyl-L-methionine in Fe(2+)-initiated oxidations. *Free Radic Biol Med.* 2004 May 15;36(10):1303-16.
- Carroll D, Ring C, Suter M, Willemsen G. The effects of an oral multivitamin combination with calcium, magnesium, and zinc on psychological well-being in healthy young male volunteers: a double-blind placebo-controlled trial. *Psychopharmacology (Berl)* 2000; 150(2):220-5.
- Castilho JC, Perry JC, Andreatini R, Vital MA. Phosphatidylserine: an antidepressive or a cognitive enhancer? *Prog Neuropsychopharmacol Biol Psychiatry* 2004 Jul;28(4):731-8.
- Ceda GP, Ceresini G, Denti L, Marzani G, Piovani E, Banchini A, Tarditi E, Valenti G. alpha-Glycerylphosphorylcholine administration increases the GH responses to GHRH of young and elderly subjects. *Horm Metab Res.* 1992 Mar;24(3):119-21.
- Cenacchi, B, Bertoldin T, Farina C, Fiori M.G., Crepaldi G. Cognitive decline in the elderly: a double-blind, placebo-controlled multicenter study on efficacy of phosphatidylserine administration. *Aging (Clin. Exp. Res.)*, 1993, 5: 123-33.
- Cheng DH, Ren H, Tang XC. Huperzine A, a novel promising acetylcholinesterase inhibitor. *Neuroreport* 1996; 8:97-101.
- Cheng DH, Tang XC. Comparative studies of huperzine A, E2020, and tacrine on behavior and cholinesterase activities. *Pharmacol Biochem Behav.* 1998; 60:377-386.
- Chez MG, Buchanan CP, Aimonovitch MC, et al. Double-blind, placebo-controlled study of L-carnosine supplementation in children with autistic spectrum disorders. *J Child Neurol* 2002 Nov;17(11):833-7.
- Chowdhuri DK, Parmar D, Kakkar P, Shukla R, Seth PK, Srimal RC. Antistress effects of bacosides of *Bacopa monnieri*: modulation of Hsp70 expression, superoxide dismutase and cytochrome P450 activity in rat brain. *Phytother Res.* 2002 Nov;16(7):639-45.
- Cicero AF, Derosa G, Brillante R, Bernardi R, Nascetti S, Gaddi A. Effects of Siberian ginseng (*Eleutherococcus senticosus* maxim.) on elderly quality of life: a randomized clinical trial. *Archives of Gerontology and Geriatrics Supplement.* 2004;(9):69-73.
- Cipolli C, Chiari G. [Effects of L-acetylcarnitine on mental deterioration in the aged: initial results.] *Clin Ter* 1990;132(6 Suppl):479-510 [in Italian].

- Cohen KL, Gorecki GA, Silverstein SB, et al. Effect of pyridoxine (vitamin B6) on diabetic patients with peripheral neuropathy. *J Am Podiatry Assoc.* 1984; 74:394–397.
- Cohen RA, Kucera LS, Herrmann EC. Antiviral activity of melissa officinalis (lemon balm) extract. *Proc. Soc. Exptl. Biol. Mod.*, 117, 431-434, 1964.
- Conant R, Schauss AG. Therapeutic applications of citicoline for stroke and cognitive dysfunction in the elderly: a review of the literature. *Altern Med Rev.* 2004 Mar;9(1):17-31.
- Coppen A, Swade C, Jones SA, et al. Depression and tetrahydrobiopterin: the folate connection. *J Affect Disord.* 1989; 16:103–107.
- Cozzi R, Ricordy R, Bartolini F, Ramadori L, Perticone P and de Salvia R (1995). Taurine and ellagic acid: two differently-acting natural antioxidants. *Environmental and Molecular Mutagenesis* 26, 248-254.
- Craik FIM, Salthouse TA. *Handbook of Aging and Cognition.* Hillsdale, NJ: Erlbaum, 1992.
- Crellin R, Bottiglieri T, Reynolds EH. Folates and psychiatric disorders. *Clinical potential. Drugs.* 1993; 45:623–636.
- Crook TH III, Adderly BD. *The Memory Cure: The Safe, Scientifically Proven Breakthrough That Can Slow, Halt, Or Even Reverse Age-Related Memory Loss.* New York, NY: Pocket Books; 1998:71, 72.
- Crook, T.H., Petrie W, Wells C, Massari, D.C. Effects of phosphatidylserine in Alzheimers disease. *Psychopharmacol. Bulletin*,, 1992. 28: 61-6.
- Crook, T.H., Tinklenburg, J, Yesavage J, Petrie W, Nunzie M.G., and Massari, D.C. Effects of phosphatidylserine in age-associated memory impairment. *Neurol*, 1991. 41: 644-9.
- Curti D, F. Dagani, M.R. Galmozzi, et al, *Mech Ageing Dev* 1989; 47: 39-45.
- Darbinyan V, Kteyan A, Panossian A, Gabrielian E, Wikman G, Wagner H. Rhodiola rosea in stress induced fatigue--a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty. *Phytomedicine.* 2000; 7(5):365-71.
- Dasgupta A, Wu S, Actor J, Olsen M, Wells A, Datta P. Effect of Asian and Siberian ginseng on serum digoxin measurement by five digoxin immunoassays. Significant variation in digoxin-like immunoreactivity among commercial ginsengs. *American Journal of Clinical Pathology.* 2003;119(2):298-303.
- Davis KL, Berger PA. Pharmacological investigations of the cholinergic imbalance hypotheses of movement disorders and psychosis. *Biol Psychiatry.* 1978; 13:23–49.

- Davydov M, Krikorian AD. Eleutherococcus senticosus (Rupr. & Maxim.) Maxim. (Araliaceae) as an adaptogen: a closer look. *Journal of Ethnopharmacology*. 2000;72(3):345-393.
- De Bock K, Eijnde BO, Ramaekers M, Hespel P. Acute Rhodiola rosea intake can improve endurance exercise performance. *Int J Sport Nutr Exerc Metab*. 2004; 14(3):298-307.
- De Souza MC, Walker AF, Robinson PA, Bolland K. A synergistic effect of a daily supplement for 1 month of 200 mg magnesium plus 50 mg vitamin B6 for the relief of anxiety-related premenstrual symptoms: a randomized, double-blind, crossover study. *J Womens Health Gend Based Med*. 2000 Mar; 9(2):131-9.
- Dean MD, W., Morgenthaler, J. 1991 *Smart Drugs and Nutrients: How to Improve Your Memory and Increase Your Intelligence Using the Latest Discoveries in Neuroscience*. California: B&J Publications.
- Dean, W, Morgenthaler J, Fowkes S. 1993 *Phosphatidylserine Smart Drugs II, The Next Generation*, Health Freedom Publications. Menlo Park, CA. pp. 75-80.
- Deijen JB, van der Beek EJ, Orlebeke JF, et al. Vitamin B-6 supplementation in elderly men: effects on mood, memory, performance and mental effort. *Psychopharmacology (Berl)* 1992;109(4):489-96.
- DeLuca P, Rossetti RG, Alavian C, Karim P, Zurier RB. Effects of gammalinolenic acid on interleukin-1 beta and tumor necrosis factor-alpha secretion by stimulated human peripheral blood monocytes: studies in vitro and in vivo. *J Investig Med*. 1999; 47(5):246-50.
- Delwaide, P.J., Gyselynk-Mambourg A.M., Hurlet A. and Ylief M. Double-blind randomized controlled study of phosphatidylserine in demented patients. *Acta Neurol. Scand*, 1986. 73:136-40.
- Di Perri R, Coppola G, Ambrosio LA, Grasso A, Puca FM, Rizzo M. A multicentre trial to evaluate the efficacy and tolerability of alpha-glycerolphosphorylcholine versus cytosine diphosphocholine in patients with vascular dementia. *J Int Med Res*. 1991 Jul-Aug;19(4):330-41.
- Dietrich HA, Lindmar R, Loffelholz K. The role of choline in the release of acetylcholine in isolated hearts. *Arch Pharmacol* 1978; 301: 207-15
- Dimpfel W, Pischel I, Lehnfeld R. Effects of lozenge containing lavender oil, extracts from hops, lemon balm and oat on electrical brain activity of volunteers. *Eur J Med Res*. 2004 Sep 29;9(9):423-31.
- Dimpfel W, Wedekind W, Keplinger I. Efficacy of dimethylaminoethanol (DMAE) containing vitamin-mineral drug combination on EEG patterns in the presence of different emotional states. *Eur J Med Res*. 2003 May 30;8(5):183-91.
- Dolezal V, Tucek S. *J Neurochem* 1981; 36: 1323-1330.
- Dori D, Casale G, Solerte SB, et al. Chrono-neuroendocrinological aspects of physiological aging and senile dementia. *Chronobiologia* 1994;21(1-2):121-6.

- Dreon DM, Peroutkal SJ. Medical Utility of APOE Allele Determination in Assessing the Need for Antioxidant Therapy. *Med Hypotheses*. Vol 56 (pp357-359), 2001.
- Eastley R, Wilcock GK, Bucks RS. Vitamin B12 deficiency in dementia and cognitive impairment: the effects of treatment on neuropsychological function. *Int J Geriatr Psychiatry*. 2000 Mar;15(3):226-33.
- Eisenberg J, Asnis GM, van Praag HM, Vela RM. Effect of tyrosine on attention deficit disorder with hyperactivity. *J Clin Psychiatry*. 1988 May;49(5):193-5.
- Emsley R, Myburgh C, Oosthuizen P, van Rensburg SJ. Randomized, placebo-controlled study of ethyl-eicosapentaenoic acid as supplemental treatment in schizophrenia. *Am J Psychiatry*. 2002 Sep;159(9):1596-8.
- Engel, R.R., Satzger W, Gunther W, Kathmann N, Bove D, Gerkes, Munch U and Hippus H. Double-blind cross-over study of phosphatidylserine vs. placebo in subjects with early cognitive deterioration of the Alzheimer type. *Eur. Neuropsychopharmacol*, 1992. 2: 149-55.
- Ernst E. The Risk-Benefit Profile of Commonly Used Herbal Therapies: Ginkgo, St. John's Wort, Ginseng, Echinacea, Saw Palmetto, and Kava. *Annals of Internal Medicine*. Vol 136(1) (pp 42-53), 2002.
- Eschbach LF, Webster MJ, Boyd JC, McArthur PD, Evetovich TK. The effect of Siberian ginseng (*Eleutherococcus senticosus*) on substrate utilization and performance. *International Journal of Sports Nutrition and Exercise Metabolism*. 2000;10(4):444-451.
- Espinola EB, Dias RF, Mattei R, Carlini EA. Pharmacological activity of Guarana (*Paullinia cupana* Mart.) in laboratory animals. *J Ethnopharmacol*. 1997 Feb;55(3):223-9.
- Farnsworth NR, Kinghorn AD, Soejarto D, Waller DP. Siberian ginseng (*Eleutherococcus senticosus*): Current status as an adaptogen. *Econ Med Plant Res* 1985;156-215.
- Ferraro L, Tanganelli S, Marani L, Bianchi C, Beani L, Siniscalchi A. Evidence for an in vivo and in vitro modulation of endogenous cortical GABA release by alpha-glycerylphosphorylcholine. *Neurochem Res*. 1996 May;21(5):547-52.
- Ferris SH, Kluger A. Commentary on age-associated memory impairment, age-related cognitive decline and mild cognitive impairment. *Aging Neuropsychol Cogn* 1996;3:148-53.
- Filaretov AA, Bogdanova TS, Mitiushov MI, et al. Effect of adaptogens on the activity of the pituitary-adrenocortical system in rats. *Biull Eksp Biol Med* 1986;101:573-574.
- Fioravanti M, Yanagi M. Cytidinediphosphocholine (CDP choline) for cognitive and behavioural disturbances associated with chronic cerebral disorders in the elderly (Cochrane Review). In: *The Cochrane Library*, Issue 3, 2004. John Wiley & Sons, Chichester, UK.

- Fiore L, Rampello L. *Acta Neurol* 1989; 11: 346-350.
- Fischhof PK, Moslinger-Gehmayr R, Herrmann WM, et al. Therapeutic efficacy of vincamine in dementia. *Neuropsychobiology* 1996;34:29-35.
- Funfgeld, E.W., Baggen, M, Nedwidek, P, et al. Double-blind study with phosphatidylserine (PS) in Parkinsonian patients with senile dementia of Alzheimers type (SDAT). *Progr. Clin. Biol. Res*, 1989. 317: 1235-46.
- Furse RK, Rossetti RG, Seiler CM, Zurier RB. Oral administration of gammalinolenic acid, an unsaturated fatty acid with anti-inflammatory properties, modulates interleukin-1beta production by human monocytes. *J Clin Immunol*. 2002; 22(2):83-91.
- Furushiro M, Suzuki S, Shishido Y, et al. Effects of oral administration of soybean lecithin transphosphatidylated phosphatidylserine on impaired learning of passive avoidance in mice. *Jpn J Pharmacol* 1997;75:447-50.
- Gaby AR. Don't believe everything you read. CounterPoint. *Townsend Letter for Doctors Patients* 1997;July:125-6 [editorial].
- Gadoth N, Figlin E, Chetrit A, Sela BA, Seligsohn U. The neurology of cobalamin deficiency in an elderly population in Israel. *J Neurol*. 2005 Aug 24; [Epub ahead of print]
- Gallant S, Kukley M, Stvolinsky S, Bulygina E, Boldyrev A. Effect of carnosine on rats under experimental brain ischemic. *Tohoku J Exp Med*. 2000 Jun;191(2):85-99.
- Garzya G, Corallo D, Fiore A, et al. Evaluation of the effects of L-acetylcarnitine on senile patients suffering from depression. *Drugs Exp Clin Res* 1990;16(2):101-6.
- Gedeon Richter product literature, Cavinton.
- Gelenberg AJ, Gibson CJ. Tyrosine for the treatment of depression. *Nutr Health*. 1984;3(3):163-73.
- Genazzani E. [A controlled clinical study on the efficacy of L-acetylcarnitine in the treatment of mild to moderate mental deterioration in the aged. Conclusions.] *Clin Ter* 1990;132(6 Suppl):511-2.
- Gille JJ, Pasma P, van Berkel CG, Joenje H. Effect of antioxidants on hyperoxia-induced chromosomal breakage in Chinese hamster ovary cells: protection by carnosine. *Mutagenesis*. 1991 Jul;6(4):313-8.
- Gillis RC, Daley BJ, Enderson BL, Karlstad MD. Eicosapentaenoic acid and gamma-linolenic acid induce apoptosis in HL-60 cells. *J Surg Res*. 2002; 107(1):145-53.
- Gindin J, Novikov M, Kedar D, et al. The effect of plant phosphatidylserine on age-associated memory impairment and mood in the functioning elderly. Rehovot, Israel: Geriatric Institute for Education and Research, and Department of Geriatrics, Kaplan Hospital, 1995.

- Godfrey P, Crellin R, Toone BK, Flynn TG, Carney MW, Laundry M, Chanarin I, Bottiglieri T, Reynolds EH. Enhancement of recovery from psychiatric illness by methylfolate. *Br J Psychiatry*. 1992 Jul;161:126-7.
- Golotin VG, Gonenko VA, Zimina VV, et al. Effect of ionol and eleutherococcus on changes of the hypophyseal-adrenal system in rats under extreme conditions. *Vopr Med Khim* 1989;35:35-37.
- Gräbel E. The influence of Ginkgo biloba extract (EGb 761) on mental performance: A double-blind study under computerized measurement conditions in patients with cerebral insufficiency. *Fortschr Med* 1992;110:73-6.
- Gueck T, Seidel A, Baumann D, Meister A, Fuhrmann H. Alterations of mast cell mediator production and release by gamma-linolenic and docosahexaenoic acid. *Vet Dermatol*. 2004; 15(5):309-14.
- Hallahan B, Garland MR. Essential fatty acids and mental health. *Br J Psychiatry*. 2005 Apr;186:275-7. Fan YY, Chapkin RS. Importance of dietary gamma-linolenic acid in human health and nutrition. *Journal of Nutrition* 1998; 128: 1411-14.
- Hammes HP, Du X, Edelstein D, et al. Benfotiamine blocks three major pathways of hyperglycemic damage and prevents experimental diabetic retinopathy. *Nat Med*. 2003 Mar;9(3):294-9. Epub 2003 Feb 18.
- Hänninen T. Age-associated memory impairment: A neuropsychological and epidemiological study. *Neurologian klinikan julkaisusarja* 1996;39 [abstract].
- Hardy ML, Coulter I, Morton SC, et al. S-adenosyl-L-methionine for treatment of depression, osteoarthritis, and liver disease. *Evid Rep Technol Assess (Summ)*. 2003 Aug;(64):1-3.
- Harris CM, Dysken MW, Fovall P, Davis JM. Effect of lecithin on memory in normal adults. *Am J Psychiatry*. 1983 Aug;140(8):1010-2.
- Hershowitz M, et al. Long-term treatment of dementia Alzheimer type with phosphatidylserine: effect on cognitive functioning and performance in daily life. In: Bazan NG, et al (eds.) *Phospholipids in the Nervous System: Biochemical and Molecular Pathology*, 1989. Padua, Italy: Liviana Press.
- Heseker H, Kubler W, Pudel V, Westenhoffer J. Psychological disorders as early symptoms of a mild-to-moderate vitamin deficiency. *Ann N Y Acad Sci*. 1992 Sep 30; 669:352-7.
- Hibbeln JR, Nieminen LR, Lands WE. Increasing homicide rates and linoleic acid consumption among five Western countries, 1961-2000. *Lipids*. 2004 Dec;39(12):1207-13.
- Hindmarch I, Fuchs HH, Erzigkeit H. Efficacy and tolerance of vinpocetine in ambulant patients suffering from mild to moderate organic psychosyndromes. *Int Clin Psychopharmacol* 1991;6:31-43.
- Hipkiss AR, Brownson C. A possible new role for the anti-ageing peptide carnosine. *Cell Mol Life Sci*. 2000 May;57(5):747-53.

- Hirsch MJ, Growdon JH, Wurtman RJ. Relations between dietary choline or lecithin intake, serum choline levels, and various metabolic indices. *Metabolism*. 1978; 27:953–960.
- Iaremii IN, Grigor'eva NF. [Hepatoprotective properties of liquid extract of *Rhodiola rosea*] *Eksp Klin Farmakol*. 2002; 65(6):57-9.
- Imperato A, M.T. Ramacci, L. Angelucci, et al, *Neurosci Lett* 1989; 107: 251-255.)
- Israel L, Dell'Accio E, Martin G, Hugonot R. Ginkgo biloba extract and memory training programs-comparative assessment on elderly outpatients. *Psychologie Médicale* 1987;19:1431-9.
- Itil TM, Eralp E, Ahmed I, Kunitz A, Itil KZ. The pharmacological effects of ginkgo biloba, a plant extract, on the brain of dementia patients in comparison with tacrine. *Psychopharmacol Bull* 1998;34(3):391-7
- Jarvis MJ. Does caffeine enhance absolute levels of cognitive performance? *Psychopharmacology (Berl)* 1993;110(1-2):45-52.
- Johnson MM, Swan DD, Surette ME et al. Dietary supplementation with gamma-linolenic acid alters fatty acid content and eicosanoid production in healthy humans. *Journal of Nutrition* 1997; 127: 143544.
- Johnson S. Gradual Micronutrient Accumulation and Depletion in Alzheimer's Disease. *Med Hypotheses*. Vol 56 (pp 595-597), 2001.
- Jones W, Li X, Qu ZC, et al. Uptake, recycling, and antioxidant actions of alpha-lipoic acid in endothelial cells. *Free Radic Biol Med* 2002;33:83-93. Bast A, Haenen GR. Lipoic acid: a multifunctional antioxidant. *Biofactors*. 2003;17(1-4):207-13.
- Jorissen BL, Brouns F, Van Boxtel MPJ, et al. The influence of soy-derived phosphatidylserine on cognition in age-associated memory impairment. *Nutr Neurosci* 2001;4:121-34.
- Joseph JA, Shukitt-Hale B, Denisova NA, et al. Long-term dietary strawberry, spinach, or vitamin E supplementation retards the onset of age-related neuronal signal-transduction and cognitive behavioral deficits. *J Neurosci* 1998;18(19):8047-55.
- Kang KS, Yun JW, Lee YS. Protective effect of L-carnosine against 12-O-tetradecanoylphorbol-13-acetate- or hydrogen peroxide-induced apoptosis on v-myc transformed rat liver epithelial cells. *Cancer Lett*. 2002 Apr 8;178(1):53-62.
- Kelly GS. *Rhodiola rosea*: a possible plant adaptogen. *Altern Med Rev*. 2001; 6(3):293-302. *Rhodiola rosea*. Monograph. *Altern Med Rev*. 2002; 7(5):421-3.
- Kennedy DO, Haskell CF, Wesnes KA, Scholey AB. Improved cognitive performance in human volunteers following administration of guarana (*Paullinia cupana*) extract: comparison and interaction with *Panax ginseng*. *Pharmacol Biochem Behav*. 2004 Nov;79(3):401-11.

- Kennedy DO, Scholey AB, Tildesley NT, Perry EK, Wesnes KA. Modulation of mood and cognitive performance following acute administration of *Melissa officinalis* (lemon balm). *Pharmacol Biochem Behav.* 2002 Jul;72(4):953-64.
- Kennedy DO, Wake G, Savelev S, Tildesley NT, Perry EK, Wesnes KA, Scholey AB. Modulation of mood and cognitive performance following acute administration of single doses of *Melissa officinalis* (Lemon balm) with human CNS nicotinic and muscarinic receptor-binding properties. *Neuropsychopharmacology.* 2003 Oct;28(10):1871-81.
- Kidd PM. Don't believe everything you read. . . a sequel. *Point. Townsend Letter for Doctors Patients* 1997;July:122-4 [editorial].
- Kidd, P., 1995. Phosphatidylserine (PS), A Remarkable Brain Cell Nutrient. Lucas Meyer, Inc, Decator, IL.
- Kleefstra N, Bilo HJ, Bakker SJ, Houweling ST. Chromium and insulin resistance. *Ned Tijdschr Geneeskd.* 2004 Jan 31;148(5):217-20.
- Kleijnen J, Ter Riet G, Knipschild P. Vitamin B6 in the treatment of premenstrual syndrome—a review . *Br J Obstet Gynaecol.* 1990; 97:847–852.
- Kopf SR, Buchholzer ML, Hilgert M, Loeffelholz K, Klein J. Glucose plus choline improve passive avoidance behaviour and increase hippocampal acetylcholine release in mice. *Neuroscience Vol 103(2)* (pp 365-371), 2001.
- La Rue A. *Aging and Neuropsychological Assessment.* New York: Plenum, 1992.
- Ladd SL, Sommer SA, LaBerge S, Toscano W. Effect of phosphatidylcholine on explicit memory. *Clin Neuropharmacol.* 1993 Dec;16(6):540-9.
- Leathwood PD, Schlosser B. Phosphatidylcholine, choline and cholinergic function. *Int J Vitam Nutr Res Suppl.* 1986; 29:49–67.
- Lelord G, Callaway E, Muh JP. Clinical and biological effects of high doses of vitamin B6 and magnesium on autistic children. *Acta Vitaminol Enzymol.* 1982; 4:27–44.
- Levy R. Aging-associated cognitive decline. *Int Psychogeriatr* 1994;6:63-8 [review].
- Lezak M. *Neuropsychological Assessment*, 3rd ed. New York: Oxford, 1995.
- Lin RY, Reis ED, Dore AT, et al. Lowering of dietary advanced glycation endproducts (AGE) reduces neointimal formation after arterial injury in genetically hypercholesterolemic mice. *Atherosclerosis.* 2002 Aug;163(2):303-11.
- Linden DC, Newton MW, Grinnell AD, Jenden DJ. Rapid decline in acetylcholine release and content of rat extensor digitorum longus muscle after denervation. *Exp Neurol* 1983; 81: 613-26
- Lindenbaum J, Healton EB, Savage DG, et al. Neuropsychiatric disorders caused by cobalamin deficiency in the absence of anemia or macrocytosis. *N Engl J Med* 1988;318:1720-8.

- Lishmanov IB, Trifonova ZV, Tsibin AN, Maslova LV, Dement'eva LA. Plasma beta-endorphin and stress hormones in stress and adaptation. *Biull Eksp Biol Med* 1987; 103(4):422-4.
- Lopez CM, Govoni S, Battaini F, Bergamaschi S, Longoni A, Giaroni C, Trabucchi M. Effect of a new cognition enhancer, alpha-glycerolphosphorylcholine, on scopolamine-induced amnesia and brain acetylcholine. *Pharmacol Biochem Behav.* 1991 Aug;39(4):835-40.
- Lourenco R, Camilo ME. Taurine: a conditionally essential amino acid in humans? An overview in health and disease. *Nutr Hosp.* 2002 Nov-Dec;17(6):262-70.
- Louwman MW, van Dusseldorp M, van de Vijver FJ, Thomas CM, Schneede J, Ueland PM, Refsum H, van Staveren WA. Signs of impaired cognitive function in adolescents with marginal cobalamin status. *Am J Clin Nutr.* 2000 Sep; 72(3):762-9.
- Lucchi L, Pascale A, Battaini F, Govoni S, Trabucchi M. Cognition stimulating drugs modulate protein kinase C activity in cerebral cortex and hippocampus of adult rats. *Life Sci.* 1993;53(24):1821-32.
- Maccari F, A. Arseni, P. Chiodi, et al, *Exp Geront* 1990; 25: 127-134.) In numerous animal studies ALC has been shown to have the remarkable ability of improving not only cognitive changes, but also morphological (structural) and neurochemical changes. ALC has varied effects on cholinergic activity.
- Madigan SM, Tracey F, McNulty H, et al. Riboflavin and vitamin B-6 intakes and status and biochemical response to riboflavin supplementation in free-living elderly people. *Am J Clin Nutr* 1998;68(2):389-95.
- Maggioni, M, Picotti, G.B., Bondiolotti ,G.P., Panerai, A. Cenacchi, T. Nobil, P. and Brambilla, F. Effects of phosphatidylserine therapy in geriatric patients with depressive disorders. *Acta Psychiatr. Scand.* 1990. 81 (3): 265-70.
- Maier JA, Malpuech-Brugere C, Zimowska W, Rayssiguier Y, Mazur A. Low magnesium promotes endothelial cell dysfunction: implications for atherosclerosis, inflammation and thrombosis. *Biochim Biophys Acta.* 2004; 24;1689(1):13-21.
- Maimeskulova LA, Maslov LN. The anti-arrhythmia action of an extract of *Rhodiola rosea* and of n-tyrosol in models of experimental arrhythmias. *Eksp Klin Farmakol* 1998;61:37-40.
- Maire JC, Wurtman RJ. Effects of electrical stimulation and choline availability on release and contents of acetylcholine and choline in superfused slices from rat striatum. *J Physiol Paris* 1985; 80: 189-95
- Manconi E, Binaghi F, Pitzus F. A double-blind clinical trial of vinpocetine in the treatment of cerebral insufficiency of vascular and degenerative origin. *Curr Ther Res Clin Exp* 1986;30:702-709.

- Martin DC, Francis J, Protetch J, Huff FJ. Time dependency of cognitive recovery with cobalamin replacement: report of a pilot study. *J Am Geriatr Soc* 1992;40(2):168-72.
- Masaki KH, Losonczy KG, Izmirlian G, et al. Association of vitamin E and C supplement use with cognitive function and dementia in elderly men. *Neurology* 2000;54:1265-72.
- Mayer G, Kroger M, Meier-Ewert K. Effects of vitamin B12 on performance and circadian rhythm in normal subjects. *Neuropsychopharmacology* 1996; 15(5):456-64.
- McDaniel MA, Maier SF, Einstein GO. Brain-specific" nutrients: a memory cure? *Nutrition*. 2003 Nov-Dec;19(11-12):957-75.
- McDowell I. Alzheimer's Disease: Insights From Epidemiology. *Aging*. Vol 13 (pp 143-162), 2001.
- Miyamoto M, Murphy TH, Schnaar RL, Coyle JT. Antioxidants protect against glutamate-induced cytotoxicity in a neuronal cell line. *J Pharmacol Exp Ther* 1989 Sep;250(3):1132-40.
- Miyazaki M. The effect of a cerebral vasodilator, vinpocetine, on cerebral vascular resistance evaluated by the Doppler ultrasonic technique in patients with cerebrovascular diseases. *Angiology*. 1995; 46:53–58.
- Monteleone P, Beinat L, Tanzillo C, et al. Effects of phosphatidylserine on the neuroendocrine response to physical stress in humans. *Neuroendocrinology* 1990;52:243-248.
- Monteleone P, Maj M, Beinat L, et al. Blunting by chronic phosphatidylserine administration of the stress-induced activation of the hypothalamo-pituitary-adrenal axis in healthy men. *Eur J Clin Pharmacol* 1992; 42:385-388.
- Monteleone, P, Maj, M, Beinat, L, Natale, M, and Kemali, D. Blunting by chronic phosphatidylserine administration of the stress-induced activation of the hypothalamo-pituitary-adrenal axis in healthy men. *Eur. J. Clin. Pharmacol* ,1992. 41: 385-8.
- Munch G, Mayer S, Michaelis J, et al. Influence of advanced glycation end-products and AGE-inhibitors on nucle- ation-dependent polymerization of beta- amyloid peptide. *Biochim Biophys Acta*. 1997 Feb 27;1360(1):17-29.
- Myers BL, Badia P. Changes in circadian rhythms and sleep quality with aging: mechanisms and interventions. *Neurosci Biobehav Rev* 1995;19(4):553-71. Published erratum appears in *Neurosci Biobehav Rev* 1996;20(2):I-IV.
- Nagai K, Suda T, Kawasaki K, Mathuura S. Action of carnosine and beta-alanine on wound healing. *Surgery*. 1986; 100(5):815-21.
- Nagai K, Suda T. Immunoregulative effects of carnosine and beta-alanine. *J. Physiol. Soc Jap* 1986; 48:564-571.

- Nagai K, Suda T. Immunoregulative effects of carnosine and beta-alanine. *J. Physiol. Soc Jap* 1986; 48:564-571. Boldyrev A, Johnson P. Carnosine and related compounds: antioxidant dipeptides. In: P. Johnson and A. Boldyrev, Editors, *Oxidative Stress at Molecular, Cellular and Organ Levels*, Res. Signpost 2002; 101-114.
- Nathan PJ, Clarke J, Lloyd J, et al. The acute effects of an extract of *Bacopa monniera* (Brahmi) on cognitive function in healthy normal subjects. *Hum Psychopharmacol* 2001;16:345-51.
- Neri DF, Wiegmann D, Stanny RR, et al. The effects of tyrosine on cognitive performance during extended wakefulness. *Avit Space Environ Med.* 1995; 66:313–319.
- Nilsson K, Gustafson L, Hultberg B. Improvement of cognitive functions after cobalamin/folate supplementation in elderly patients with dementia and elevated plasma homocysteine. *International Journal of Geriatric Psychiatry* Vol 16(6) (pp 609-614), 2001.
- Nussbaum, PD, ed. *Handbook of Neuropsychology and Aging*. New York: Plenum, 1997.
- Olson DA, Masaki KH, White LR, et al. Association of vitamin E and C supplement use with cognitive function and dementia in elderly men. *Neurology*. Vol 55(6) (pp 901-902), 2000.
- Packer L, Tritschler HJ, Wessel K. Neuroprotection by the metabolic antioxidant alpha-lipoic acid. *Free Radic Biol Med.* 1997;22(1-2):359-78.
- Packer L, Witt EH, Tritschler HJ. Alpha-lipoic acid as a biological antioxidant. *Free Radic Biol Med.* 1995;19:227-250.
- Palmieri, G, Palmieri, R, Inzoli, M.R., et al. Double-blind controlled trial of phosphatidylserine in patients with senile mental deterioration. *Clin. Trials J.*, 1987. 24: 73-83.
- Paradies G, Ruggiero FM, Petrosillo G, Gadaleta MN, Quagliariello E. Effect of aging and acetyl-L-carnitine on the activity of cytochrome oxidase and adenine nucleotide translocase in rat heart mitochondria. *FEBS Lett.* 1994 Aug 22;350(2- 3):213-5.
- Passeri M, Iannuccelli M, Ciotti G, et al. Mental impairment in aging: selection of patients, methods of evaluation and therapeutic possibilities of acetyl-L-carnitine. *Int J Clin Pharmacol Res* 1988;8(5):367-76.
- Patacchioli FR, F. Amenta, M.T. Ramacci, et al, *J Neurosci Res* 1989; 23: 462-466.
- Peet M et al. "A dose ranging study of the effects of ethyl-eicosapentaenoate in patients with ongoing depression despite apparently adequate treatment with standard drugs." *Arch Gen Psychiatry*, 59:913-9, 2002.
- Pennypacker LC, Allen RH, Kelly JP, et al. High prevalence of cobalamin deficiency in elderly outpatients. *J Am Geriatr Soc.* 1992; 40:1197–1204.

- Perrig WJ, Perrig P, Stahelin HB. The relation between antioxidants and memory performance in the old and very old. *J Am Geriatr Soc* 1997;45(6):718-24.
- Peruzza M, DeJacobis M. A double-blind placebo controlled evaluation of the efficacy and safety of vinpocetine in the treatment of patients with chronic vascular or degenerative senile cerebral dysfunction. *Adv Ther* 1986;3:201-9.
- Podda M, Grundmann-Kollmann M. Low molecular weight antioxidants and their role in skin ageing. *Clin Exp Dermatol*. 2001 Oct;26(7):578-82.
- Podda M, Tritschler HJ, Ulrich H, et al. Alpha-lipoic acid supplementation prevents symptoms of vitamin E deficiency. *Biochem Biophys Res Commun*. 1994;204:98-104.
- Pogorelyi VE, Makarova LM. [Rhodiola rosea extract for prophylaxis of ischemic cerebral circulation disorder] *Eksp Klin Farmakol*. 2002; 65(4):19-22.
- Price DL, Rhett PM, Thorpe SR, Baynes JW. Chelating activity of advanced glycation end-product inhibitors. *J Biol Chem*. 2001 Dec 28;276(52):48967-72. Epub 2001 Oct 24.
- Procter A. Enhancement of recovery from psychiatric illness by methylfolate. *Br J Psychiatry*. 1991 Aug;159:271-2.
- Puca FM, Genco S, Specchio LM, et al. Clinical pharmacodynamics of acetyl-L-carnitine in patients with Parkinsons disease. *Int J Clin Pharmacol Res* 1990;10(1-2):139-43.)
- Rai GS, Shovlin C, Wesnes KA. A double-blind, placebo-controlled study of Ginkgo biloba extract ('tanakan') in elderly patients with mild to moderate memory impairment. *Curr Med Res Opin* 1991;12(6):350-5.
- Ramacci MT, De Rossi M, Lucreziotti MR, Mione MC, Amenta F. Effect of long-term treatment with acetyl-L-carnitine on structural changes of aging rat brain. *Drugs Exp Clin Res* 1988;14(9):593-601.)
- Ransmayr, G, Plorer, S, Gerstenbrand, F, and Bauer, G. Double-blind placebo-controlled trial of phosphatidylserine in elderly patients with arteriosclerotic encephalopathy. *Clin. Trials J.*, 1987. 24: 62-72.
- Raves ML, Harel M, Pang YP, Silman I, Kozikowski AP, Sussman JL. Structure of acetylcholinesterase complexed with the nootropic alkaloid, (-)-huperzine A. *Nat Struct Biol* 1997 Jan;4(1):57-63.)
- Rayssiguier Y, Mazur A. R [Magnesium and inflammation:lessons from animal models.] *Clin Calcium*. 2005;15(2):245-248.
- Re' O. 2-Dimethylaminoethanol (deanol): a brief review of its clinical efficacy and postulated mechanism of action. *Curr Ther Res Clin Exp*. 1974;16(11):1238-42.
- Rediess S, Caine ED. Aging, cognition, and DSM-IV. *Aging Neuropsychol Cogn* 1996;3:105-17.

- Reimherr FW, Wender PH, Wood DR, Ward M. An open trial of L-tyrosine in the treatment of attention deficit disorder, residual type. *Am J Psychiatry*. 1987 Aug;144(8):1071-3.
- Rodriguez-Martin JL, Qizilbash N, Lopez-Arrieta JM. Thiamine for Alzheimer's disease (Cochrane Review). *Cochrane Database Syst Rev*. 2:CD001498, 2001.
- Roodenrys S, Booth D, Bulzomi S, et al. Chronic effects of Brahmi (*Bacopa monnieri*) on human memory. *Neuropsychopharmacology*. 2002;27:279-81.
- Rosadini, G, Sannita ,W.G., Nobili, F, and Cenacchi, T. Phosphatidylserine: quantitative EEG effects in healthy volunteers. *Neuropsychobiol*, 1991. 24: 42-8.
- Rubin EH, Storandt M, Miller JP, et al. A prospective study of cognitive function and onset of dementia in cognitively healthy elders. *Arch Neurol* 1998;55(3):395-401.
- Russell RW. Continuing the search for cholinergic factors in cognitive dysfunction. *Life Sci*. 1996; 58:1965–1970.
- Sairam K, Dorababu M, Goel RK, Bhattacharya SK. Antidepressant activity of standardized extract of *Bacopa monniera* in experimental models of depression in rats. *Phytomedicine*. 2002 Apr;9(3):207-11.
- Sakai M, Yamatoya H, Kudo S. Pharmacological effects of phosphatidylserine enzymatically synthesized from soybean lecithin on brain functions in rodents. *J Nutr Sci Vitaminol (Tokyo)* 1996;42:47-54.
- Salvioli G, Neri M. L-acetylcarnitine treatment of mental decline in the elderly. *Drugs Exp Clin Res* 1994;20(4):169-76.
- Santos MS, Duarte AI, Moreira PI, Oliveira CR Synaptosomal response to oxidative stress: effect of vinpocetine. *Free Radic Res* 2000 Jan;32(1):57-66
- Sapolsky RM, L.C. Krey, and B.S. McEwen, *J Neurosci* 1985; 5: 1222-1227.
- Schaffer S, Azuma J, Takahashi K, Mozaffari M. Why is taurine cytoprotective? *Adv Exp Med Biol*. 2003;526:307-21.
- Seelig MS. Consequences of magnesium deficiency on the enhancement of stress reactions; preventive and therapeutic implications (a review). *J Am Coll Nutr*. 1994; 13(5):429-46.
- Seidman MD, Khan MJ, Bai U, et al. Biologic activity of mitochondrial metabolites on aging and age-related hearing loss. *Am J Otol*. 2000; 21:161–167.
- Sergio W. Use of DMAE (2-dimethylaminoethanol) in the induction of lucid dreams. *Med Hypothesis*. 1988; 26:255–257.
- Sershen H, L.G. Harsing, M. Banay-Schwartz, et al, *J Neurosci Res* 1991; 30: 555-559.
- Sharma R, Chaturvedi C, Tewari PV. Efficacy of *Bacopa monniera* in revitalizing intellectual functions in children. *J Res Edu Ind Med* 1987;1:12.

- Singh HK, Dhawan BN. Effect of *Bacopa monniera* Linn. (brahmi) extract on avoidance responses in rat. *J Ethnopharmacol* 1982;5:205-14.
- Singh HK, Dhawan BN. Neuropsychopharmacological effects of the Ayurvedic nootropic *Bacopa monniera* Linn. (Brahmi). *Indian J Pharmacol* 1997;29:S359-S365.
- Singh HK, Rastogi RP, Srimal RC, Dhawan BN. Effect of bacosides A and B on avoidance responses in rats. *Phytother Res* 1988;2:70-5.
- Smith GE, Petersen RC, Parisi JE, et al. Definition, course, and outcome of mild cognitive impairment. *Aging Neuropsychol Cogn* 1996;3:141-7.
- Solfrizzi V, Panza F, Torres F, et al. High monounsaturated fatty acids intake protects against age-related cognitive decline. *Neurology* 1999;52(8):1563-9.
- Song C, Li X, Leonard BE, Horrobin DF. Effects of dietary n-3 or n-6 fatty acids on interleukin-1beta-induced anxiety, stress, and inflammatory responses in rats. *J Lipid Res*. 2003; 44(10):1984-91.
- Spreen O, Strauss E. *A Compendium of Neuropsychological Tests: Administration, Norms, and Commentary*. New York: Oxford, 1991.
- Stadtman ER, Levine RL. Protein oxidation. *Ann NY Acad Sci*. 2000; 899:191-208.
- Stadtman ER. Protein oxidation and aging. *Science*. 1992 Aug 28; 257(5074):1220- 4.
- Stough C, Lloyd J, Clarke J, et al. The chronic effects of an extract of *Bacopa monniera* (Brahmi) on cognitive function in healthy human subjects. *Psychopharmacology* 2001;156:481-4.
- Stracke H, Hammes HP, Werkmann D, et al. Efficacy of benfotiamine versus thiamine on function and glycation products of peripheral nerves in diabetic rats. *Exp Clin Endocrinol Diabetes*. 2001;109(6):330-6.
- Stracke H, Lindemann A, Federlin K. A benfotiamine-vitamin B combination in treatment of diabetic polyneuropathy. *Exp Clin Endocrinol Diabetes*. 1996;104(4):311-6.
- Stuerenburg HJ, Kunze K. Concentrations of free carnosine (a putative membrane-protective antioxidant) in human muscle biopsies and rat muscles. *Arch Geront Geriatr*. 1999; 29:107-113.
- Stvolinsky SL, Dobrota D. Anti-ischemic activity of carnosine. *Biochemistry (Mosc)* 2000; 65(7):849-55.
- Stvolinsky SL, Dobrota D. Anti-ischemic activity of carnosine. *Biochemistry (Mosc)* 2000; 65(7):849-55. Hardy ML, Coulter I, Morton SC, et al. S-adenosyl-L-methionine for treatment of depression, osteoarthritis, and liver disease. *Evid Rep Technol Assess (Summ)*. 2003 Aug;(64):1-3.
- Subhan Z, Hindmarch I. Psychopharmacological effects of vinpocetine in normal healthy volunteers. *Eur J Clin Pharmacol*. 1985;28(5):567-71.

- Sugiyama S, Takasawa M, Hayakawa M, Ozawa T. Changes in skeletal muscle, heart and liver mitochondrial electron transport activities in rats and dogs of various ages. *Biochem Mol Biol Int*. 1993 Aug;30(5):937-44.
- Sun QQ, Xu SS, Pan JL, Guo HM, Cao WQ. Huperzine-A capsules enhance memory and learning performance in 34 pairs of matched adolescent students. *Zhongguo Yao Li Xue Bao*. 1999 Jul;20(7):601-3.
- Taglialetela G, L. Angelucci, M.T. Ramacci, et al, *Brain Res Dev Brain Res* 1991; 59: 221-230
- Tang AM, Graham NM, Saah AJ. Effects of micronutrient intake on survival in human immunodeficiency virus type 1 infection. *Am JEpidemiol*. 1996; 143:1244–1256.
- Tang XC, Han YF, Chen XP, et al. Effects of huperzine A on learning and the retrieval process of discrimination performance in rats. *Zhongguo Yao Li Xue Bao*. 1986; 7:507–11.
- Tate G, Mandell BF, Laposata M, Ohliger D, Baker DG, Schumacher HR, Zurier RB. Suppression of acute and chronic inflammation by dietary gamma linolenic acid. *J Rheumatol*. 1989; 16(6):729-34.
- Teather LA, Wurtman RJ. Dietary CDP-choline supplementation prevents memory impairment caused by impoverished environmental conditions in rats. *Learn Mem* 2005 (online preprint).
- Teather LA, Wurtman RJ. Dietary cytidine (5')-diphosphocholine supplementation protects against development of memory deficits in aging rats. *Prog Neuropsychopharmacol Biol Psychiatry* 2003;27:711-7.
- Thal LJ, Salmon DP, Lasker B, et al. The safety and lack of efficacy of vinpocetine in Alzheimer's disease. *J Am Geriatr Soc* 1989;37:515-20.
- Tolonen M, Schrijver J, Westermarck T, et al. Vitamin B6 status of Finnish elderly. Comparison with Dutch younger adults and elderly. The effect of supplementation. *Int J Vitam Res* 1988;58(1):73-7.
- Van Dongen M, van Rossum E, Kessels AGH, et al. The efficacy of ginkgo for elderly people with dementia and age-associated memory impairment: New results of a randomized clinical trial. *J Am Geriatr Soc* 2000;48:1183-94.
- van Goor L, Woiski MD, Lagaay AM, Meinders AE, Tak PP. Review: cobalamin deficiency and mental impairment in elderly people. *Age Ageing*. 1995 Nov;24(6):536-42.
- Venkatraman MS, Chittiboyina A, Meingassner J, Ho CI, Varani J, Ellis CN, Avery MA, Pershadsingh HA, Kurtz TW, Benson SC. Alpha-Lipoic acid-based PPARgamma agonists for treating inflammatory skin diseases. *Arch Dermatol Res*. 2004 Aug;296(3):97-104.
- Villardita C, Grioli S, Salmeri G, et al. Multicentre clinical trial of brain phosphatidylserine in elderly patients with intellectual deterioration. *Clin Trials J* 1987;24:84-93.

- Vincent JB. The potential value and toxicity of chromium picolinate as a nutritional supplement, weight loss agent and muscle development agent. *Sports Med.* 2003;33(3):213-30.
- Vlassara H, Palace MR. Glycooxidation: the menace of diabetes and aging. *Mt Sinai J Med.* 2003 Sep;70(4):232-41. Matsuoka H, et al. Advanced glycation end products are associated with impaired vascular reactivity in non-diabetic subjects. *Circulation*, 2001.104 (17): 1763 Suppl. S.
- Wang AM, Ma C, Xie ZH, et al. Use of carnosine as a natural anti-senescence drug for human beings. *Biochemistry (Mosc)* 2000; 65(7):869-71.
- Wang HX, Wahlin A, Basun H, et al. Vitamin B(12) and Folate in Relation to the Development of Alzheimer's Disease. *Neurology*. Vol 56 (pp 1188-1194), 2001.
- Wang Z, Ren G, Zhao Y, et al. A double-blind study of huperzine A and piracetam in patients with age-associated memory impairment and dementia. In: Kanba S, Richelson E, eds. *Herbal Medicines for Nonpsychiatric Diseases*. Tokyo: Seiwa Shoten Publishers, 1999, 39-50.
- Watkins PB, Zimmerman HJ, Knapp MJ. Hepatotoxic effects of tacrine administration in patients with Alzheimers disease. *JAMA* 1994 Apr 6; 271:992-8
- Wesnes K, Simmons D, Rook M. A double-blind, placebo-controlled trial of Tanakan in the treatment of idiopathic impairment in the elderly. *Human Psychopharmacol* 1987;2:159-69.
- Wesnes KA, Faleni RA, Hefting NR, Hoogsteen G, Houben JJ, Jenkins E, Jonkman JH, Leonard J, Petrini O, van Lier JJ. The cognitive, subjective, and physical effects of a ginkgo biloba/panax ginseng combination in healthy volunteers with neurasthenic complaints. *Psychopharmacol Bull.* 1997;33(4):677-83.
- Whyte EM, Mulsant BH, Butters MA, Qayyum M, Towers A, Sweet RA, Klunk W, Wisniewski S, DeKosky ST. Cognitive and behavioral correlates of low vitamin B12 levels in elderly patients with progressive dementia. *Am J Geriatr Psychiatry.* 2002 May-Jun;10(3):321-7.
- Winther K, Randlov C, Rein E, Mehlsen J. Effects of Ginkgo biloba extract on cognitive function and blood pressure in elderly subjects. *Curr Ther Res* 1998;59:881-8.
- Wurtman RJ, Growdon JH. Dietary enhancement of CNS neurotransmitters. *Hosp Pract.* 1978; 13:71-77.
- Wurtman RJ, Hefti F, Melamed E. Precursor control of neurotransmitter synthesis. *Pharmacol Rev* 1981; 32(4): 315-25.
- Wurtman RJ. Effects of dietary amino acids, carbohydrates and choline neurotransmitter synthesis. *Mt. Sinai J Med* 1988; 55(1): 75-86.

- Xiong ZQ, Tang XC. Effect of huperzine A, a novel acetylcholinesterase inhibitor, on radial maze performance in rats. *Pharmacol Biochem Behav.* 1995; 51:415–419.
- Xu SS, Cai ZY, Qu ZW, et al. Huperzine-A in capsules and tablets for treating patients with Alzheimer disease [abstract]. *Zhongguo Yao Li Xue Bao.* 1999; 20:486–490.
- Xu SS; Gao ZX; Weng Z; Du ZM; Xu WA; Yang JS; Zhang ML; Tong ZH; Fang YS; Chai XS; et al, Efficacy of tablet huperzine-A on memory, cognition, and behavior in Alzheimers disease. *Chung Kuo Yao Li, Hsueh Pao*16:391-5, 1995.)
- Youngjohn JR, Larrabee GJ, Crook TH. Discriminating age-associated memory impairment and Alzheimer's disease. *Psychol Assess* 1992;4:54-9.
- Yuneva MO, Bulygina ER, Gallant SC, et al. Effect of carnosine on age-induced changes in senescence-accelerated mice. *J Anti-Aging Med.* 1999;2(4):337-42.
- Zakharchenko MV, Temnov AV, Kondrashova MN. Effect of carnosine on self-organization of mitochondrial assemblies in rat liver homogenate. *Biochemistry (Mosc).* 2003; 68(9):1002-5.
- Zeisel SH, Da Costa KA, Franklin PD, et al. Choline, an essential nutrient for humans. *FASEB J.* 1991; 5:2093–2098.
- Zeisel SH. Dietary influences on neurotransmission. *Adv Pediatr.* 1986; 33:23–47.
- Zhang Z, Liu J, Shang X, Yang J, Chu J, Wang Z, Yao Z, Ma H, Li Q, Wang Y. [The effect of Rhodiola capsules on oxygen consumption of myocardium and coronary artery blood flow in dogs] *Zhongguo Zhong Yao Za Zhi.* 1998; 23(2):104-6.
- Zhi QX, Yi FH, XI CT. Huperzine A ameliorates the spatial working memory impairments induced by AF64A. *Neuroreport.* 1995; 6:2221–2224.
- Zhu XD, Tang XC. Facilitatory effects of huperzine A and B on learning and memory of spatial discrimination in mice. *Yao Xue Xue Bao.* 1987; 22:812–817.