

MD+ Metabolic

Version III - **Metabolic and Hormonal Optimizer**

Formulated by Mauro Di Pasquale, M.D. www.MetabolicDiet.com www.mdmetsabolic.com

References

Below are some of the references in scientific literature used by Dr. Di Pasquale while formulating Metabolic. For further details about Dr. Di Pasquale, Metabolic and other MD+ products please visit our sites at www.metabolicdiet.com , www.mdmetsabolic.com and www.mdplusstore.com

-
- Antonio J, Colker CM, Torina GC, et al. Effects of a Standardized Guggulsterone Phosphate Supplement on Body Composition in Overweight Adults: A Pilot Study. *Current Therapeutic Research* 1999; 60(4):220-227.
- Arunabh S, Pollack S, Yeh J, Aloia JF 2003 Body fat content and 25-hydroxyvitamin D levels in healthy women. *J Clin Endocrinol Metab* 88:157–161.
- Barrett-Connor E, Khaw KT, Yen SS. A prospective study of dehydroepiandrosterone sulfate, mortality, and cardiovascular disease. *N Engl J Med.* 1986;315:1519-1524.
- Basakaran, K.; Ahmath, B. K.; Shanmugasundaram, K. R.; Shanmugasundaram, E. R. B. Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. *J. Ethnopharm.* 1990, 30, 295-305.
- Bastianetto S, Ramassamy C, Poirier J, Quirion R. Dehydroepiandrosterone (DHEA) protects hippocampal cells from oxidative stress-induced damage. *Brain Res Mol Brain Res.* 1999;66:35-41.
- Bloch M, Schmidt PJ, Danaceau MA, Adams LF, Rubinow DR. Dehydroepiandrosterone treatment of midlife dysthymia. *Biol Psychiatry.* 1999;45:1533-1541.
- Bowen J, Noakes M, Clifton PM. A high dairy protein, high-calcium diet minimizes bone turnover in overweight adults during weight loss. *J Nutr* 2004; 134: 568-573.

- Chattopadhyay RR. Hypoglycemic effect of *Ocimum sanctum* leaf extract in normal and streptozotocin diabetic rats. *Indian J Exp Biol* 1993 Nov;31(11):891-3.
- Chiu KC, Chu A, Go VL, Saad MF. Hypovitaminosis D is associated with insulin resistance and β cell dysfunction. *Am J Clin Nutr* 2004;79:820–5.
- Cicalese L, Lee K, Schraut W, et al. Pyruvate prevents ischemia-reperfusion mucosal injury of rat small intestine. *Am J Surg* 1996;171:97-101.
- Cicalese L, Subbotin V, Rastellini C, et al. Acute rejection of small bowel allografts in rats: Protection afforded by pyruvate. *Trans Proc* 1996;28(5):2474.
- Consequences of magnesium deficiency on the enhancement of stress reactions; preventive and therapeutic implications (a review). *J Am Coll Nutr*. 1994 Oct;13(5):429-46.
- Davies KM, Heaney RP, Recker RR, Lappe JM, Barger-Lux MJ, Rafferty K, Hinders S. Calcium intake and body weight. *J Clin Endocrinol Metab* 2000; 85: 4635-4638.
- Deboer LWV, Bekx PA, Han L, et al. Pyruvate enhances recovery of rat hearts after ischemia and reperfusion by preventing free radical generation. *Am J Physiol* 1993;265:H1571-6.
- Denke MA, Fox MM, Schulte MC. Short-term dietary calcium fortification increases fecal saturated fat content and reduces serum lipids in men. *J Nutr* 1993; 123: 1047-1053.
- Diamond P, Cusan L, Gomez JL, Belanger A, Labrie F. Metabolic effects of 12-month percutaneous dehydroepiandrosterone replacement therapy in postmenopausal women. *J Endocrinol*. 1996;150(suppl):S43-S50.
- ED, Buffington CK, Hubert GD, et al. Divergent correlations of circulating dehydroepiandrosterone sulfate and testosterone with insulin levels and insulin receptor binding. *J Clin Endocrinol Metab*. 1988;66:1329-1331.
- Famularo G, De Simone C, Trinchieri V, Mosca L. Carnitines and its congeners: a metabolic pathway to the regulation of immune response and inflammation. *Ann N Y Acad Sci*. 2004 Nov;1033:132-8.
- Febbraio MA. Signaling pathways for IL-6 within skeletal muscle. *Exerc Immunol Rev*. 2003;9:34-9.
- Glerup H, Mikkelsen K, Poulsen L, et al. Commonly recommended daily intake of vitamin D is not sufficient if sunlight exposure is limited. *J Intern Med* 2000;247:260–8.
- Hartman TJ, Albert PS, Snyder K, et al. The association of calcium and vitamin d with risk of colorectal adenomas. *J Nutr*. 2005 Feb;135(2):252-9.
- Heaney RP. Normalizing calcium intake: projected population effects for body weight. *J Nutr* 2003; 133: 268S-270S.

- Hellerstein MK, Xie Y. The indirect pathway of hepatic glycogen synthesis and reduction of food intake by metabolic inhibitors. *Life Sciences* 1993; 53(24):1833-45.
- Hellhammer J, Fries E, Buss C, Engert V, Tuch A, Rutenberg D, Hellhammer D. Effects of soy lecithin phosphatidic acid and phosphatidylserine complex (PAS) on the endocrine and psychological responses to mental stress. *Stress*. 2004 Jun;7(2):119-26.
- Henson PM, Bratton DL, Fadok VA. The phosphatidylserine receptor: a crucial molecular switch? *Nat Rev Mol Cell Biol*. 2001 Aug;2(8):627-33.
- Herranz L, Megia A, Grande C, Gonzalez-Gancedo P, Pallardo F. Dehydroepiandrosterone sulphate, body fat distribution and insulin in obese men. *Int J Obes Relat Metab Disord*. 1995;19:57-60.
- Imamoglu S, Bereket A, Turan S, Taga Y, Haklar G. Effect of zinc supplementation on growth hormone secretion, IGF-I, IGFBP-3, somatomedin generation, alkaline phosphatase, osteocalcin and growth in prepubertal children with idiopathic short stature. *J Pediatr Endocrinol Metab*. 2005 Jan;18(1):69-74.
- Ivy JL, Cortez MY, Chandler RM, et al. Effects of pyruvate on the metabolism and insulin resistance of obese Zucker rats. *Am J Clin Nutr* 1994;59:331-7.
- Jacobsen R, Lorenzen JK, Toubro S, Krog-Mikkelsen I, Astrup A. Effect of short-term high dietary calcium intake on 24-h energy expenditure, fat oxidation, and fecal fat excretion. *Int J Obes Relat Metab Disord*. 2005 Jan 18; [Epub ahead of print]
- Jakubowicz D, Beer N, Rengifo R. Effect of dehydroepiandrosterone on cyclic-guanosine monophosphate in men of advancing age. *Ann N Y Acad Sci*. 1995;774:312-315.
- Kakuda T, Sakane I, Takihara T, Ozaki Y, Takeuchi H, Kuroyanagi M. Hypoglycemic effect of extracts from *Lagerstroemia speciosa* L. leaves in genetically diabetic KK-A^y mice. *Biosci Biotechnol Biochem*. 1996 Feb;60(2):204-8.
- Kalman D, Colker CM, Wilets I, Roufs JB, Antonio J. The effects of pyruvate supplementation on body composition in overweight individuals. *Nutrition*. 1999 May;15(5):337-40.
- Kurzman ID, MacEwen EG, Haffa AL. Reduction in body weight and cholesterol in spontaneously obese dogs by dehydroepiandrosterone. *Int J Obes*. 1990;14:95-104.
- Lelovics Z. Relation between calcium and magnesium intake and obesity. *Asia Pac J Clin Nutr*. 2004;13(Suppl):S144.
- Leonhardt M, Langhans W. Hydroxycitrate has long-term effects on feeding behavior, body weight regain and metabolism after body weight loss in male rats. *J Nutr* 2002; 132(7):1977-82.

- Maccario M, Mazza E, Ramunni J, et al. Relationships between dehydroepiandrosterone-sulphate and anthropometric, metabolic and hormonal variables in a large cohort of obese women. *Clin Endocrinol (Oxf)*. 1999;50:595-600.
- Maier JA, Malpuech-Brugere C, Zimowska W, Rayssiguier Y, Mazur A. Low magnesium promotes endothelial cell dysfunction: implications for atherosclerosis, inflammation and thrombosis. *Biochim Biophys Acta*. 2004 May 24;1689(1):13-21.
- Manoli I, De Martino MU, Kino T, Alesci S. Modulatory effects of L-carnitine on glucocorticoid receptor activity. *Ann N Y Acad Sci*. 2004 Nov;1033:147-57.
- Marreiro DN, Geloneze B, Tambascia MA, Lerario AC, Halpern A, Cozzolino SM. [Participation of zinc in insulin resistance] *Arq Bras Endocrinol Metabol*. 2004 Apr;48(2):234-9.
- Matsuoka T, Kawanaka M, Nagai K. Effect of cytidine diphosphate choline on growth hormone and prolactin secretion in man. *Endocrinol Jpn* 1978 Feb;25(1):55-7.
- McCarron DA, Reusser ME. Finding consensus in the dietary calcium-blood pressure debate. *J Am Coll Nutr* 1999; 18: 398S-405S.
- McCarty MF, Gustin JC. Pyruvate and hydroxycitrate/carnitine may synergize to promote reverse electron transport in hepatocyte mitochondria, effectively 'uncoupling' the oxidation of fatty acids. *Med Hypotheses* 1999; 52(5):407-16.
- McCune SA, Foe LG, Kemp RG, Jurin RR. Aurintricarboxylic acid is a potent inhibitor of phosphofructokinase. *Biochem J* 1989; 259(3):925-27.
- Melanson EL, Sharp TA, Schneider J, Donahoo WT, Grunwald GK, Hill JO. Relation between calcium intake and fat oxidation in adult humans. *Int J Obes Relat Metab Disord* 2003; 27:196-203
- Morales AJ, Haubrich RH, Hwang JY, Asakura H, Yen SS. The effect of six months treatment with a 100 mg daily dose of dehydroepiandrosterone (DHEA) on circulating sex steroids, body composition and muscle strength in age-advanced men and women. *Clin Endocrinol (Oxf)*. 1998;49:421-432.
- Nageswara RR, Sakariah KK.) Lipid-lowering and antiobesity effect of (-) hydroxycitric acid. *Nutr* 1988. Res. 8:209-212.
- Nagpal S, Na S, Rathnachalam R. Non-Calcemic Actions of Vitamin D Receptor Ligands. *Endocr Rev*. 2005 Mar 29;
- Nerozzi D, Magnani A, Sforza V, et al. Early cortisol escape phenomenon reversed by phosphatidylserine in elderly normal subjects. *Clinical Trials J* 1989;26:33-38.
- Neumann, G. Effects of L-carnitine on athletic performance. Seim, H. Loster, H. eds. *Carnitine: Pathophysiological Basics and Clinical Applications* 1996:61-71 Ponte Press Bochum, Germany.

- P. Fonlupt, M. Martinet and H. Pacheco, Effect of CDP-choline on dopamine metabolism in central nervous system. In: V. Zappia, E.P. Kennedy, B.I. Nilsson and P. Galetti, Editors, Novel biochemical, pharmacological, and clinical aspects of CDP-choline, Elsevier Science, New York (1985), p. 169.
- Panda S, Kar A. Ocimum sanctum leaf extract in the regulation of thyroid function in the male mouse. *Pharmacol Res* 1998 Aug;38(2):107-10.
- Papakonstantinou E, Flatt WP, Huth PJ, Harris RBS. High dietary calcium reduces body fat content, digestibility of fat, and serum vitamin D in rats. *Obes Res* 2003; 11: 387-394.
- Parikh SJ, Edelman M, Uwaifo GI, Freedman RJ, Semega-Janneh M, Reynolds J, Yanovski J 2004 The relationship between obesity and serum 1,25-dihydroxy vitamin D concentrations in healthy adults. *J Clin Endocrinol Metab* 89:1196–1199.
- Persaud SJ, Al-Majed H, Raman A, Jones PM. Gymnema sylvestre stimulates insulin release in vitro by increased membrane permeability. *J Endocrinol* 1999 Nov;163(2):207-12.
- Pertosa G, Grandaliano G, Simone S, Soccio M, Schena FP. Inflammation and carnitine in hemodialysis patients. *J Ren Nutr.* 2005 Jan;15(1):8-12.
- Rai D, Bhatia G, Palit G, Pal R, Singh S, Singh HK. Adaptogenic effect of Bacopa monniera (Brahmi). *Pharmacol Biochem Behav.* 2003 Jul;75(4):823-30.
- Rayssiguier Y, Mazur A. R [Magnesium and inflammation: lessons from animal models.] *Clin Calcium.* 2005;15(2):245-248.
- Rohini G, Sabitha KE, Devi CS. Bacopa monniera Linn. extract modulates antioxidant and marker enzyme status in fibrosarcoma bearing rats. *Indian J Exp Biol.* 2004 Aug;42(8):776-80.
- Rutter MK, Meigs JB, Sullivan LM, D'Agostino RB Sr, Wilson PW. C-reactive protein, the metabolic syndrome, and prediction of cardiovascular events in the Framingham Offspring Study. *Circulation* 2004;110:380–5.
- Rutter MK, Meigs JB, Sullivan LM, D'Agostino RB Sr, Wilson PW. C-reactive protein, the metabolic syndrome, and prediction of cardiovascular events in the Framingham Offspring Study. *Circulation* 2004;110:380–5.
- Salvadorini F, Saba P, Forli C, Tusini G, Galeone F. Effect of cytidine diphosphate choline on growth hormone secretion in patients with brain or pituitary lesions. *Endocrinol Jpn* 1980 Jun;27(3):265-71.
- Schneider EL, Reed JD Jr. Life extension. *N Engl J Med.* 1985;312:1159-1168.
- Secades JJ, Frontera G. CDP-choline: pharmacological and clinical review. *Methods Find Exp Clin Pharmacol* 1995 Oct;17 Suppl B:1-54.
- Shanmugasundaram ER, Gopinath KL, Radha Shanmugasundaram K, Rajendran VM. Possible regeneration of the islets of Langerhans in

- streptozotocin-diabetic rats given *Gymnema sylvestre* leaf extracts. *J Ethnopharmacol.* 1990; 30(3):265-79.
- Shapses SA, Heshka S, Heymsfield SB. Effect of calcium supplementation on weight and fat loss in women. *J Clin Endocrinol Metab.* 2004 Feb;89(2):632-7.
- Shi H, Dirienzo D, Zemel MB. Effects of dietary calcium on adipocyte lipid metabolism and body weight regulation in energy-restricted aP2-agouti transgenic mice. *FASEB J* 2001; 15:291–293.
- Stanko RT, Mullick P, Clarke MR, et al. Pyruvate inhibits growth of mammary adenocarcinoma 13762 in rats. *Can Res* 1994;54:1004-7.
- Stanko RT, Reynolds HR, Hoyson R, et al. Pyruvate supplementation of a low-cholesterol, low-fat diet: Effects on plasma lipid concentration and body composition in hyperlipidemic patients. *Am J Clin Nutr* 1994; 59:423–27.
- Stanko RT, Tietze DL, and Arch JE. Body composition, energy utilization, and nitrogen metabolism with a 4.25-MJ/d low-energy diet supplemented with pyruvate. *Am J Clin Nutr* 1992;56(4):630-5.
- Stanko RT, Tietze DT, Arch JE. Body composition, energy utilization, and nitrogen metabolism with a severely restricted diet supplemented with dihydroxyacetone and pyruvate. *Am J Clin Nutr* 1992; 55: 771–776.
- Sugihara Y, Nojima H, Matsuda H, Murakami T, Yoshikawa M, Kimura I. Antihyperglycemic effects of gymnemic acid IV, a compound derived from *Gymnema sylvestre* leaves in streptozotocin-diabetic mice. *J Asian Nat Prod Res.* 2000;2(4):321-7.
- Sullivan AC, Hamilton JG, Miller ON, Wheatley VR. Inhibition of lipogenesis in rat liver by (-)-hydroxycitrate. *Arch Biochem Biophys* 1972;150:183–90.
- Sun X, Zemel MB. Calcium and dairy products inhibit weight and fat regain during ad libitum consumption following energy restriction in Ap2-agouti transgenic mice. *J Nutr.* 2004 Nov;134(11):3054-60.
- Suzuki Y, Unno T, Ushitani M, Hayashi K, Kakuda T. Antiobesity activity of extracts from *Lagerstroemia speciosa* L. leaves on female KK-Ay mice. *J Nutr Sci Vitaminol (Tokyo).* 1999 Dec;45(6):791-5.
- Tagliaferro AR, Davis JR, Truchon S, Van Hamont N. Effects of dehydroepiandrosterone acetate on metabolism, body weight and composition of male and female rats. *J Nutr.* 1986;116:1977-1983.
- Thoman ML, Weigle WO. The cellular and subcellular bases of immunosenescence. *Adv Immunol.* 1989;46:221-261.
- Thomas MK, Lloyd-Jones DM, Thadhani RI, et al. Hypovitaminosis D in medical inpatients. *N Engl J Med* 1998;338:777–83
- Tripathi YB, Malhotra OP, Tripathi SN. Thyroid stimulating action of Z-guggulsterone obtained from *Commiphora mukul*. *Planta Med* 1984; 1:78-80.

- Tripathi YB, Tripathi P, Malhotra OP, Tripathi SN. Thyroid stimulatory action of (Z)-guggulsterone: mechanism of action. *Planta Med* 1988 Aug;54(4):271-7.
- Urizar NL, Moore DD. Gugulipid: A Natural Cholesterol-Lowering Agent. *Annu Rev Nutr* 2003; 26; 303-313.
- Vincent JB. The potential value and toxicity of chromium picolinate as a nutritional supplement, weight loss agent and muscle development agent. *Sports Med.* 2003;33(3):213-30.
- Weaver CM, Fleet JC. Vitamin D requirements: current and future. *Am J Clin Nutr.* 2004 Dec;80(6 Suppl):1735S-9S.
- Weiss GB. Metabolism and actions of CDP-choline as an endogenous compound and administered exogenously as citicoline. *Life Sci* 1995;56(9):637-60.
- Westerterp-Plantenga MS, Kovacs EM. The effect of (-)-hydroxycitrate on energy intake and satiety in overweight humans. *Int J Obes Relat Metab Disord* 2002; 26(6):870-2.
- Zemel MB, Shi H, Greer B, Dirienzo D, Zemel PC. Regulation of adiposity by dietary calcium. *FASEB J* 2000; 14: 1132-1138.
- Zemel MB, Thompson W, Milstead A, Morris K, Campbell P. Calcium and dairy acceleration of weight and fat loss during energy restriction in obese adults. *Obes Res.* 2004 Apr;12(4):582-90.
- Zemel MB, Thompson W, Zemel P, Nocton AM, Morris K, Campbell P. Dietary calcium and dairy products accelerate weight and fat loss during energy restriction in obese adults. *Am J Clin Nutr* 2002; 75:342S
- Zemel MB. Effects of calcium-fortified breakfast cereal on adiposity in a transgenic mouse model of obesity. *FASEB J* 2001; 15: A598.